BOOSTWORLD

Interactive version

atlas concorde

December 2025



Boost your style



Boost World is a design tool that combines ceramic surfaces in their inspiration, style, and tone, allowing for coordinated solutions in any space.

Boost World è uno strumento progettuale che coniuga in un'unica prospettiva superfici ceramiche differenti per ispirazione ma affini per stile e tonalità, consentendo soluzioni coordinate in ogni destinazione d'uso.

Index

- Overview
- Image Gallery
  - BOOST
  - BOOST PRO
  - BOOST NATURAL
  - BOOST NATURAL PRO
  - BOOST BALANCE
  - BOOST COLOR
  - BOOST EXPRESSION
  - BOOST VISION
  - BOOST ICOR
  - BOOST STONE
  - BOOST MIX
  - BOOST MINERAL
- Product Finder
  - PORCELAIN TILES SURFACE RANGE
  - WALL TILES SURFACE RANGE
  - DECORS RANGE
- Range Summary &Technical Specifications

A world of design

INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Inside, outside, everywhere

INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Maximum design freedom

Slabs for countertops and furniture



162x324 cm

atlasPLAN

Floor | Wall | Furniture | Facades



160x320 cm | 120x278 cm | 120x240 cm | 75x150 cm | 120x120 cm | 60x120 cm | 80x80 cm | 60x60 cm | 30x60 cm

atlas concorde

Wall

50x120 cm | 40x80 cm

Outdoor



120x120 cm | 60x120 cm | 80x80 cm | 60x60 cm

Surface Range







INDEX
OVERVIEW
IMAGE GALLERY
PRODUCT FINDER
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Image Gallery

BOOST

BOOST PRO

BOOST NATURAL

BOOST NATURAL PRO

BOOST BALANCE

BOOST COLOR

BOOST EXPRESSION

BOOST VISION

BOOST ICOR

BOOST STONE

BOOST MIX

BOOST MINERAL

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



Urban concrete look

BOOST

DOWNLOAD >
DIGITAL CATALOG

The Boost collection has a refined metropolitan look with surfaces featuring the customary shading of troweled concrete in varied gray tones. The wall tile palette is enriched by two color accents that that bring a bathroom to life.

Boost è la collezione che apre le porte al progetto Boost World. Con un raffinato look metropolitano, queste superfici declinano le sfumature tipiche del cemento spatolato attraverso una scala di toni di grigio.
La proposta cromatica dei rivestimenti è arricchita da due accenti di colore che ravvivano gli ambienti bagno.

INDEX
OVERVIEW
IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL
PRODUCT FINDER
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

FLOOR
Boost Pearl
Matte Sensitech
75x150 cm | 29 1/2"x59"

WALL
Boost White
Matte Sensitech
75x150 cm | 29 1/2"x59"

Boost
Pearl
Mosaico Shapes Matte
31x33,5 cm | 12 1/4"x13 1/4"

INDEX
OVERVIEW
IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL
PRODUCT FINDER
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR

Boost
White
Outdoor Sensitech ✚ 20 mm
60x120 cm | 23 5/8"x47 1/4"

Boost
White
Grip Sensitech
120x120 cm | 47 1/4"x47 1/4"

Boost
White
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

^

FLOOR - WALL
Boost
White
Matte
120x278 cm | 47$^{1}/_{4}$"x109$^{1}/_{2}$"

COUNTERTOP
Atlas Plan
Boost White
Hammered
162x324 cm | 63$^{3}/_{4}$"x127$^{1}/_{2}$"

>

FLOOR - COUNTERTOP
Boost
Grey
Matte
162x324 cm | 63$^{3}/_{4}$"x127$^{1}/_{2}$"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



^

FLOOR
Boost
Tarmac
Matte Sensitech
75x150 cm | a29$^{1}/_{2}$"x59"

Boost
Grey
Matte Sensitech
75x150 cm | 29$^{1}/_{2}$"x59"

WALL
Boost
Grey
Matte Sensitech
75x150 cm | 29$^{1}/_{2}$"x59"

Boost
Tarmac
Mosaico Hex Black Matte
25x28,5 cm | 9$^{7}/_{8}$"x11$^{1}/_{4}$"

<

FLOOR
Boost
Smoke
Matte Sensitech
120x120 cm | 47$^{1}/_{4}$"x47$^{1}/_{4}$"

WALL
Boost
Smoke
Mosaico Hex Yellow Matte
25x28,5 cm | 9$^{7}/_{8}$"x11$^{1}/_{4}$"

Boost
Smoke
Mosaico Hex Black Matte
25x28,5 cm | 9$^{7}/_{8}$"x11$^{1}/_{4}$"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR	WALL			FURNITURE
Boost	**Boost**	**Boost**	**Boost**	**Marvel**
Pearl	**Sage**	**White**	**3D Urban White**	**Statuario Select**
Matte Sensitech	Matte	Matte	Matte	Polished
75x150 cm | 29$^{1}/_{2}$"x59"	40x80 cm | 15$^{3}/_{4}$"x31$^{1}/_{2}$"	40x80 cm | 15$^{3}/_{4}$"x31$^{1}/_{2}$"	40x80 cm | 15$^{3}/_{4}$"x31$^{1}/_{2}$"	75x150 cm | 29$^{1}/_{2}$"x59"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR	WALL		
Boost	**Boost**	**Boost**	**Boost**
Grey	**Red**	**Grey**	**3D Urban Grey**
Matte Sensitech	Matte	Matte	Matte
75x150 cm | 29$^{1}/_{2}$"x59"	40x80 cm | 15$^{3}/_{4}$"x31$^{1}/_{2}$"	40x80 cm | 15$^{3}/_{4}$"x31$^{1}/_{2}$"	40x80 cm | 15$^{3}/_{4}$"x31$^{1}/_{2}$"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



Warm concrete look

BOOST PRO

DOWNLOAD >
DIGITAL CATALOG

Boost Pro enriches the concrete look with fresh warm shades, making the metropolitan style even more inviting. The assortment of wall tiles has expanded to include two powdery shades ideal for relaxing and comfortable spaces.

Boost Pro arricchisce l'effetto cemento di nuove tonalità calde, che esaltano l'accoglienza dello stile metropolitano. Alla proposta da rivestimento per gli ambienti dedicati alla cura del corpo, si aggiungono due tinte polverose, perfette per ambienti confortevoli.

INDEX
OVERVIEW
IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL
PRODUCT FINDER
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

^

FLOOR
Boost Pro
Clay
Matte Sensitech
75x150 cm | 29$^{1}/_{2}$"x59"

WALL
Boost Pro
Ivory
Matte Sensitech
75x150 cm | 29$^{1}/_{2}$"x59"

>

FLOOR
Boost Pro
Cream
Matte Sensitech
75x150 cm | 29$^{1}/_{2}$"x59"

WALL
Boost Pro
Taupe
Matte Sensitech
75x150 cm | 29$^{1}/_{2}$"x59"

Boost Pro
Taupe
Mosaico Hex Coffee Matte
25x28,5 cm | 9$^{7}/_{8}$"x11$^{1}/_{4}$"



INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Pro Cream
Matte Sensitech
75x150 cm | 29$^{1}/_{2}$"x59"

WALL
Boost Pro Taupe
Matte Sensitech
75x150 cm | 29$^{1}/_{2}$"x59"

Boost Pro Cream
Mosaico Hex Blue
Matte
25x28,5 cm | 9$^{7}/_{8}$"x11$^{1}/_{4}$"

Boost Pro Taupe
Mosaico Hex Coffee
Matte
25x28,5 cm | 9$^{7}/_{8}$"x11$^{1}/_{4}$"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



‹

FLOOR	WALL	FURNITURE
Boost Pro	**Atlas Plan**	**Boost**
Clay	**Boost Pro Taupe**	**White**
Matte	Hammered	Matte
120x120 cm | 47$^{1}/_{4}$"x47$^{1}/_{4}$"	160x320 cm | 63"x126"	120x278 cm | 47$^{1}/_{4}$"x109$^{1}/_{2}$"

›

FLOOR	FURNITURE
Boost Pro	**Boost**
Tobacco	**Smoke**
Matte Sensitech	Matte
120x120 cm | 47$^{1}/_{4}$"x47$^{1}/_{4}$"	120x278 cm | 47$^{1}/_{4}$"x109$^{1}/_{2}$"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Pro
Clay
Matte Sensitech
75x150 cm | 29$^{1}/_{2}$"x59"

Heartwood
Brandy
Matte Sensitech
18,5x150 cm | 7$^{1}/_{4}$"x59"

WALL
Boost Pro
Powder Blue
Matte
40x80 cm | 15$^{3}/_{4}$"x31$^{1}/_{2}$"

Boost Pro
3D Urban Powder Blue
Matte
40x80 cm | 15$^{3}/_{4}$"x31$^{1}/_{2}$"

Boost Pro
Powder Blue
Minibrick Pro Ocean
Matte
29,7x33,3 cm | 11$^{5}/_{8}$"x13$^{1}/_{4}$"

INDEX
OVERVIEW
IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL
PRODUCT FINDER
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

FLOOR
Boost Pro
Ivory
Matte Sensitech
75x150 cm | 29$^{1}/_{2}$"x59"

WALL
Boost Pro
3D Urban Ivory
Matte
40x80 cm | 15$^{3}/_{4}$"x31$^{1}/_{2}$"

Boost Pro
Clay
Matte
40x80 cm | 15$^{3}/_{4}$"x31$^{1}/_{2}$"

PORCELAIN TILE DECOR
Heartwood
Brandy Tatami
18,5x75 cm | 7$^{1}/_{4}$"x29$^{1}/_{2}$"



INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



Natural concrete look

BOOST
NATURAL

DOWNLOAD >
DIGITAL CATALOG

The Boost Natural collection, created in collaboration with Matteo Brioni, features the notable texture of solid earth in a palette of natural shades. The three-dimensional tiles on the wall mimic the marks typical of manual workmanship.

Boost Natural è la collezione nata dalla collaborazione con Matteo Brioni, che ripropone la texture irregolare della terra cruda con una palette di tonalità naturali.
A parete, i rivestimenti tridimensionali replicano nel dettaglio i segni tipici della lavorazione manuale della materia di riferimento.

INDEX
OVERVIEW
IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL
PRODUCT FINDER
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

FLOOR
Boost Natural Ash
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Natural Ash
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Natural Ecru
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Natural Ash
Mosaico Rhombus
Matte
36,7x33,8 cm | 14 1/2"x13 1/4"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Natural
Ecru
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Natural
Ash
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Natural
3D Wave Ash
Matte
50x120 cm | 19 5/8"x47 1/4"

SIT-ON-BASIN | **ESSENZA - MONO**
Atlas Concorde Habitat
Boost Natural Ecru Matte
Rectangular Basin
85x50x15 cm | 33 1/2" / 19 5/8" / 5 7/8"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Natural
Ecru
Matte Sensitech
120x120 cm | 47$^{1}/_{4}$"x47$^{1}/_{4}$"

WALL
Boost Natural
Ecru
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

Boost Natural
3D Texture Ecru
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Natural
Ash
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Natural
Ash
Mosaico Piano Mix Matte
50x40,5 cm | 19 5/8"x16"

TOP | **ESSENZA - LEVEL**
Atlas Concorde Habitat
Boost Natural Ash
Matte
For Single Basin
180x50x12 cm | 70 7/8"x19 5/8"x4 3/4"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Natural
Ash
Matte Sensitech
120x120 cm | 47$^{1}/_{4}$"x47$^{1}/_{4}$"

WALL
Boost Natural
Kaolin
Matte
120x278 cm | 47$^{1}/_{4}$"x109$^{1}/_{2}$"

Boost Natural
Ash
Matte
120x278 cm | 47$^{1}/_{4}$"x109$^{1}/_{2}$"

TWIN SINK | **ESSENZA - DUO**
Atlas Concorde Habitat
Boost Natural Ash
Matte
Enveloped Bottom Basin
210x50x15 cm | 82$^{5}/_{8}$"x19$^{5}/_{8}$"x5$^{7}/_{8}$"

SHELF | **ESSENZA - THIN**
Atlas Concorde Habitat
Boost Natural Ash
Matte
210x35x5 cm | 82$^{5}/_{8}$"x13$^{3}/_{4}$"x2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

^

FLOOR
Boost Natural
Coral
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Natural
Coral
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Stone
Ivory
Matte
120x278 cm | 47 1/4"x109 1/2"

>

FLOOR
Boost Natural
Cobalt
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

Boost Natural
Coal
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Natural
Ash
Matte
120x278 cm | 47 1/4"x109 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR
Boost Natural
Ecru
Outdoor Sensitech ✠ 20 mm
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Natural
Umber
Matte
120x278 cm | 47¹/₄"x109¹/₂"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



Primary design

BOOST
NATURAL PRO

DOWNLOAD >
DIGITAL CATALOG

The essence of the hand-crafted concrete effect, inspired by the naturality of raw earth. 8 New light and warm colors selected by renowned architect Matteo Brioni that together with Boost Natural compose a palette of 15 shades unique on the market.

L'essenza dell'effetto cemento hand-craft, ispirata alla naturalità della terra cruda. 8 Nuovi colori chiari e caldi, selezionati dal noto architetto Matteo Brioni che insieme a Boost Natural compongono una palette di 15 nuance unica sul mercato.

INDEX
OVERVIEW
IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL
PRODUCT FINDER
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Boost Natural Pro
Oat
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Natural Pro
3D Rice Oat
Matte
50x120 cm | 19 5/8"x47 1/4"

DINING TABLE | **Incontro**
75
Atlas Concorde Habitat
Desert Soul
Polished
100x240 cm | 39 3/8"x94 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Natural Pro
Oat
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Natural Pro
Salt
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Natural Pro
Motion Coffee
Matte
50x120 cm | 19 5/8"x47 1/4"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Fior di Bosco
Silk
ø 70 cm | 27 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Natural Pro
Oat
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Natural Pro
Salt
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Natural Pro
Motion Coffee
Matte
50x120 cm | 19 5/8"x47 1/4"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR	WALL	COUNTERTOP
Boost Pro	**Boost Natural Pro**	**Atlas Plan**
Taupe	**Sand**	**Sand**
Hammered	Hammered	Hammered
160x320 cm | 63"x126"	162x324 cm | 63$^{3}/_{4}$"x127$^{1}/_{2}$"	162x324 cm | 63$^{3}/_{4}$"x127$^{1}/_{2}$"

INDEX

OVERVIEW

IMAGE GALLERY

BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



INDOOR FLOOR
Boost Natural Pro
Cinder
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

OUTDOOR FLOOR
Boost Natural Pro
Cinder
Outdoor Sensitech ✠ 20mm
120x120 cm | 47 1/4"x47 1/4"

Boost Natural Pro
Cinder
Elemento L Outdoor Sensitech ✠ 20mm
33x120 cm | 13"x47 1/4"

Boost Natural Pro
Cinder
Alzata Outdoor Sensitech ✠ 20mm
20x120 cm | 7 7/8"x47 1/4"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Natural Pro
Salt
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Natural Pro
Cinder
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Natural Pro
3D Wave Skin
Matte
50x120 cm | 19 5/8"x47 1/4"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Natural Pro
Cinder
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Natural Pro
Salt
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Natural Pro
3D Wave Salt
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Natural Pro
Skin
Matte
50x120 cm | 19 5/8"x47 1/4"

TWIN SINK | **ESSENZA - DUO**
Atlas Concorde Habitat
Boost Natural Salt
Matte
Rectangular Basin
210x50x15 cm | 82 5/8"x19 5/8"x5 7/8"

SHELF | **ESSENZA - THIN**
Atlas Concorde Habitat
Boost Natural Salt
Matte
210x35x5 cm | 82 5/8"x13 3/4"x2"

INDEX
OVERVIEW
IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL
PRODUCT FINDER
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Boost Natural Pro
Cinder
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Natural Pro
3D Craft Salt
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Natural Pro
Salt
Matte Sensitech
50x120 cm | 19 5/8"x47 1/4"

FREE-STANDING | **ESSENZA - BLOCK**
Atlas Concorde Habitat
Calacatta Meraviglia
Velvet
Enveloped Bottom Basin
65x50x85 cm | 25 5/8"x19 5/8"x33 1/2"

SIDE TABLE | **CONTATTO**
Atlas Concorde Habitat
Black Atlantis
Polished
ø 45 cm | 17 3/4"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Natural Pro
Dove
Matte Sensitech
120x120 cm | 47$^{1}/_{4}$"x47$^{1}/_{4}$"

WALL
Boost Natural Pro
Cinder
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

Boost Natural Pro
Coffee
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

Boost Natural Pro
3D Craft Cinder
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

TOP | **ESSENZA - LEVEL**
Atlas Concorde Habitat
Boost Natural Pro Cinder
Matte
For Single Basin
160x50x12 cm | 63"x19$^{5}/_{8}$"x4$^{3}/_{4}$"

INDEX

OVERVIEW

IMAGE GALLERY

BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Natural Pro
Dove
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Natural Pro
Cinder
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Natural Pro
Coffee
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Natural Pro
3D Craft Cinder
Matte
50x120 cm | 19 5/8"x47 1/4"

TOP | **ESSENZA - LEVEL**
Atlas Concorde Habitat
Boost Natural Pro Cinder
Matte
For Single Basin
160x50x12 cm | 63"x19 5/8"x4 3/4"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Natural Pro
Sand
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Natural Pro
Lava
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Natural Pro
Motion Oat
Matte
50x120 cm | 19 5/8"x47 1/4"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Black Lava
Leathered
ø 45 cm | 17 3/4"



INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Natural Pro
Sand
Velvet Velvetech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Natural Pro
Oat
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Natural Pro
Lava
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Natural Pro
3D Rice Oat
Matte
50x120 cm | 19 5/8"x47 1/4"

FURNITURE
Atlas Plan
Sand
Hammered
162x324 cm | 63 3/4"x127 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR
Boost Natural Pro
Sand
Velvet Velvetech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Natural Pro
Oat
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Natural Pro
Lava
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Natural Pro
3D Rice Oat
Matte
50x120 cm | 19 5/8"x47 1/4"

FURNITURE
Atlas Plan
Sand
Hammered
162x324 cm | 63 3/4"x127 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



Endless concrete look

BOOST
BALANCE

DOWNLOAD >
DIGITAL CATALOG

A simple concrete look for a style with sophisticated simplicity. The ten neutral shades range from ice to black. The three whites are designed to act as a foundation for any type of project. Grays and blacks complete the range and ensure maximum stylistic freedom.

Un effetto cemento essenziale, per uno stile dalla sofisticata semplicità. Le 10 tonalità neutre spaziano dal ghiaccio fino al nero. I 3 bianchi sono studiati come base per ogni tipologia di progetto. I grigi e neri completano la gamma e assicurano la massima libertà stilistica.

INDEX
OVERVIEW
IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL
PRODUCT FINDER
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

INDEX

OVERVIEW

IMAGE GALLERY

BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance Moon
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Balance Pearl
Matte
120x278 cm | 47 1/4"x109 1/2"

COUNTERTOP
Atlas Plan Calacatta Meraviglia
Silk
162x324 cm | 63 3/4"x127 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance
Moon
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

FLOOR - OUTDOOR
Boost Balance
Pearl
Outdoor Sensitech ✠ 20mm
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Balance
Pearl
Matte
120x278 cm | 47 1/4"x109 1/2"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Calacatta Meraviglia
Silk
70x70 cm | 27 1/2"x27 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance Pearl
Matte Sensitech
120x120 cm | $47^{1}/_{4}$"x$47^{1}/_{4}$"

WALL
Boost Balance Grey
Matte
120x278 cm | $47^{1}/_{4}$"x$109^{1}/_{2}$"

Boost Balance Grey
Mosaico Strings
Matte Sensitech
60x120 cm | $23^{5}/_{8}$"x$47^{1}/_{4}$"

DINING TABLE | **Incontro 75**
Atlas Concorde Habitat
Nero Marquina
Polished
100x180 cm | $39^{3}/_{8}$"x$70^{7}/_{8}$"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Nero Marquina
Polished
70x70 cm | $27^{1}/_{2}$"x$27^{1}/_{2}$"

FURNITURE
Atlas Plan
Nero Marquina
Polished
162x324 cm | $63^{3}/_{4}$"x$127^{1}/_{2}$"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance
Pearl
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Balance
Grey
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Balance
Grey
Mosaico Strings Matte Sensitech
60x120 cm | 23 5/8"x47 1/4"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Nero Marquina
Polished
ø 45 cm | 17 3/4"

FURNITURE
Boost Balance
Pearl
Matte
120x278 cm | 47 1/4"x109 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance
White
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

Boost Balance
White
Grip Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Balance
Pearl
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Balance
Pearl
Mosaico Lock Matte Sensitech
37,4x50,5 cm | 14 3/4"x19 7/8"

TOP | **ESSENZA - LEVEL**
Atlas Concorde Habitat
Boost Balance Pearl Matte
For Single Basin
160x50x12 cm | 63"x19 5/8"x4 3/4"

SHELF | **ESSENZA - THIN**
Atlas Concorde Habitat
Boost Balance Pearl
Polished
160x35x5 cm | 63"x13 3/4"x2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance White
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

Boost Balance White
Grip Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Balance Pearl
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Balance Pearl
Mosaico Lock Matte Sensitech
37,4x50,5 cm | 14 3/4"x19 7/8"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Black Lava
Leathered
ø 45 cm | 17 3/4"

TOP | **ESSENZA - LEVEL**
Atlas Concorde Habitat
Boost Balance Pearl Matte
For Single Basin
160x50x12 cm | 63"x19 5/8"x4 3/4"

SHELF | **ESSENZA - THIN**
Atlas Concorde Habitat
Boost Balance Pearl
Polished
160x35x5 cm | 63"x13 3/4"x2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

^

FLOOR
Boost Balance
White
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Nero Marquina
Polished
ø 70 cm | 27 1/2"

<

FLOOR
Boost Balance
White
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Balance
Pearl
Mosaico Lock Matte Sensitech
37,4x50,5 cm | 14 3/4"x19 7/8"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Black Lava
Leathered
ø 45 cm | 17 3/4"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance Ash
Velvet
120x120 cm | 47¼"x47¼"

WALL
Boost Balance Ivory
Matte
120x278 cm | 47¼"x109½"

Boost Balance Ash
Matte
120x278 cm | 47¼"x109½"

DINING TABLE | **Incontro 75**
Atlas Concorde Habitat
Precious Brown
Silk
100x240 cm | 39⅜"x94½"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Precious Brown
Silk
ø 45 cm | 17¾"

FURNITURE
Atlas Plan
Precious Brown
Silk
162x324 cm | 63¾"x127½"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance
Ash
Velvet
120x120 cm | 47 1/4"x47 1/4

WALL
Boost Balance
Ivory
Matte
120x278 cm | 47 1/4"x109 1/2"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Precious Brown
Silk
ø 45 cm | 17 3/4"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Precious Brown
Silk
ø 70 cm | 27 1/2"

FURNITURE
Atlas Plan Precious
Brown
Silk
162x324 cm | 63 3/4"x127 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR - OUTDOOR
Boost Balance
Ash
Outdoor Sensitech ✠ 20mm
120x120 cm | 47 1/4"x47 1/4"

FLOOR
Boost Balance
Ash
Velvet
120x120 cm | 47 1/4"x47 1/4"

Atlas Plan
Boost Balance
Ash
Matte
162x324 cm | 63 3/4"x127 1/2"

COFFEE TABLE | **Incontro 25**
Atlas Concorde Habitat
Calacatta Meraviglia
Silk
90x60 cm | 35 3/8"x23 5/8"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Precious Brown
Silk
ø 70 cm | 27 1/2"

COUNTERTOP
Atlas Plan
Precious Brown
Silk
162x324 cm | 63 3/4"x127 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance
Ash
Velvet
120x120 cm | 47 1/4"x47 1/4"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Precious Brown
Silk
ø 70 cm | 27 1/2"

FLOOR
Boost Balance
Ash
Outdoor Sensitech ✠ 20mm
120x120 cm | 47 1/4"x47 1/4"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Precious Brown
Silk
ø 70 cm | 27 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance Pearl
Outdoor Sensitech ✠ 20mm
120x120 cm | 47 1/4"x47 1/4"

Boost Balance Pearl
Round Matte Sensitech ✠ 20mm
33x120 cm | 13"x47 1/4"

Boost Balance Pearl
Elemento L Outdoor Sensitech ✠ 20mm
33x120 cm | 13"x47 1/4"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance
Pearl
Outdoor Sensitech ✠ 20mm
120x120 cm | 47$^{1}/_{4}$"x47$^{1}/_{4}$"

Boost Balance
Pearl
Elemento L Outdoor Sensitech ✠ 20mm
33x120 cm | 13"x47$^{1}/_{4}$"

WALL
Boost Balance
Pearl
Matte
120x278 cm | 47$^{1}/_{4}$"x109$^{1}/_{2}$"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance Pure
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Balance Pearl
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Balance Pure
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Balance Smoke
Matte
120x278 cm | 47 1/4"x109 1/2"

FURNITURE
Boost Balance Pure
Matte
120x278 cm | 47 1/4"x109 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



^

FLOOR
Boost Balance
Pure
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Fior di Bosco
Silk
ø 70 cm | 27 1/2"

<

FLOOR
Boost Balance
Pure
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Balance
Pearl
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Balance
Pure
Matte
120x278 cm | 47 1/4"x109 1/2"

FURNITURE
Boost Balance
Pure
Matte
120x278 cm | 47 1/4"x109 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

INDEX

OVERVIEW

IMAGE GALLERY

BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



^

FLOOR
Marvel Meraviglia
Grigio Elegante Hammered
Matte Sensitech
60x120 cm | 23$^{5}/_{8}$"x47$^{1}/_{4}$"

WALL
Boost Balance
Cream
Matte
120x278 cm | 47$^{1}/_{4}$"x109$^{1}/_{2}$"

TWIN SINK | **ESSENZA - DUO**
Atlas Concorde Habitat
Boost Balance Cream Matte
Enveloped Bottom Basin
210x50x15 cm | 82$^{5}/_{8}$"x19$^{5}/_{8}$"x5$^{7}/_{8}$"

SHELF | **ESSENZA - THIN**
Atlas Concorde Habitat
Boost Natural Ash
Matte
210x35x5 cm | 82$^{5}/_{8}$"x13$^{3}/_{4}$"x2"

<

FLOOR
Boost Balance
Cream
Matte Sensitech
120x120 cm | 47$^{1}/_{4}$"x47$^{1}/_{4}$"

WALL
Boost Balance
Cream
Matte
120x278 cm | 47$^{1}/_{4}$"x109$^{1}/_{2}$"

FURNITURE
Atlas Plan
Precious Brown
Silk
162x324 cm | 63$^{3}/_{4}$"x127$^{1}/_{2}$"

SHELF | **ESSENZA - THIN**
Atlas Concorde Habitat
Boost Balance Cream
Matte
160x35x5 cm | 63"x13$^{3}/_{4}$"x2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance Cream
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Balance Cream
Matte
120x278 cm | 47 1/4"x109 1/2"

FURNITURE
Atlas Plan
Precious Brown
Silk
162x324 cm | 63 3/4"x127 1/2"

INDEX

OVERVIEW

IMAGE GALLERY

BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance Grey
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Balance Grey
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Balance Tarmac
Matte
120x278 cm | 47¹/₄"x109¹/₂"

DESK
Atlas Plan
Calacatta Meraviglia
Silk
162x324 cm | 63³/₄"x127¹/₂"

FURNITURE
Atlas Plan
Calacatta Meraviglia
Silk
162x324 cm | 63³/₄"x127¹/₂"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance
Grey
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Balance
Tarmac
Matte
120x278 cm | 47 1/4"x109 1/2"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Onyx White
Silk
ø 70 cm | 27 1/2"

INDEX
OVERVIEW
IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL
PRODUCT FINDER
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



Pastel rebellion

BOOST
COLOR

DOWNLOAD >
DIGITAL CATALOG

Pastel colours as absolute protagonists. A precious palette of 14 shades selected by architect Piero Lissoni. A wide decorative range and a calibrated, harmonious colour palette to mix and match.

I colori pastello come protagonisti assoluti. Una preziosa palette di 14 nuance selezionata dall'architetto Piero Lissoni. Una ampia gamma decorativa e una tavolozza di colori calibrata e armonica da misclelare o abbinare insieme.

INDEX

OVERVIEW

IMAGE GALLERY

BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance Pearl
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Color Iris
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Color Navy
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Color 3D Pleat Iris
Matte
50x120 cm | 19 5/8"x47 1/4"

TWIN SINK | **ESSENZA - DUO**
Atlas Concorde Habitat Boost Balance Pearl Silk
Sloped Basin
220x50x15 cm | 86 5/8"x19 5/8"x5 7/8"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR
Boost Balance
Pearl
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Color
Iris
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Color
Navy
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Color
3D Pleat Iris
Matte
50x120 cm | 19 5/8"x47 1/4"

SINK
Atlas Concorde Habitat
Twin wall-mounted
Boost Balance
Pearl Matte

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance Moon
Matte Sensitech
120x120 cm | 47$^{1}/_{4}$"x47$^{1}/_{4}$"

WALL
Boost Color Linen
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

Boost Color Mauve
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

Boost Color Shade Decor Dove
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

SINGLE SINK | **ESSENZA - MONO**
Atlas Concorde Habitat
Boost Balance Moon Matte
Sloped Basin
160x35x5 cm | 63"x13$^{3}/_{4}$"x2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

^

FLOOR
Boost Balance Moon
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Color Shade Decor Dove
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Color Mauve
Matte
50x120 cm | 19 5/8"x47 1/4"

SINGLE SINK | **ESSENZA - MONO**
Atlas Concorde Habitat
Boost Balance Moon Matte
Sloped Basin
160x35x5 cm | 63"x13 3/4"x2"

>

FLOOR
Boost Balance Moon
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Color Linen
Matte
50x120 cm | 19 5/8"x47 1/4"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance
Moon
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Color
Linen
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Color
Shade Decor Dove
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Color
Mauve
Matte
50x120 cm | 19 5/8"x47 1/4"

SINGLE SINK | **ESSENZA - MONO**
Atlas Concorde Habitat
Boost Balance Moon Matte
Sloped Basin
160x35x5 cm | 63"x13 3/4"x2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance Cream
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Color Cream
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Color Sun
Matte
50x120 cm | 19 5/8"x47 1/4"

SINGLE SINK | **ESSENZA - MONO**
Atlas Concorde Habitat
Boost Balance Cream Matte
Sloped Basin
220x50x15 cm | 86 5/8"x19 5/8"x5 7/8"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance
Cream
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Color
Sun
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Color
Brick Sun
Matte
33x37 cm | 13"x14 5/8"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance
Pure
Velvet
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Color
Mauve
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Balance
Moon
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Balance
Pure
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Color
Ruler Mauve
Matte
50x40 cm | 19 5/8"x14 5/8"

INDEX

OVERVIEW

IMAGE GALLERY

BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance
Pure
Velvet
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Color
Mauve
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Balance
Moon
Matte
120x278 cm | 47 1/4"x15 3/4"

Boost Color
Ruler Mauve
Matte
50x40 cm | 19 5/8"x14 5/8"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance
Pure
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Color
3D Pleat Jade
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Color
Mint
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Color
Pure Frog
Matte
50x120 cm | 19 5/8"x47 1/4"

TWIN SINK | **ESSENZA - DUO**
Atlas Concorde Habitat
Boost Balance Pure Matte
Enveloped Bottom Basin
210x50x15 cm | 82 5/8"x19 5/8"x5 7/8"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance
Pure
Matte Sensitech
120x120 cm | 47$^{1}/_{4}$"x47$^{1}/_{4}$"

WALL
Boost Color
3D Pleat Jade
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$

Boost Color
Pure Frog
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance Pure
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Color Mint
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Color Pure Frog
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Color 3D Pleat Jade
Matte
50x120 cm | 19 5/8"x47 1/4"

TWIN SINK | **ESSENZA - DUO**
Atlas Concorde Habitat
Boost Balance Pure Matte
Enveloped Bottom Basin
210x50x15 cm | 82 5/8"x19 5/8"x5 7/8"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Balance
Ash
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Color
Salix
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Color
Teal
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Color
Ruler Jade
Matte
50x40 cm | 19 5/8"x15 3/4"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



Materic expression

BOOST
EXPRESSION

IN COLLABORATION WITH
Elisa Ossino Studio

DOWNLOAD >
DIGITAL CATALOG

The collection of porcelain and wall tiles with a textural and three-dimensional concrete effect for interiors and exteriors. The ten new modern colors and decorative apparatus are differentiating elements of the collection, both designed together with designer Elisa Ossino.

La collezione di gres porcellanato e rivestimenti dall'effetto cemento materico e tridimensionale per interni ed esterni. I dieci nuovi moderni colori e l'apparato decorativo sono elementi differenzianti della collezione, entrambi studiati insieme alla designer Elisa Ossino.

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Expression
Ice
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Expression
3D Loop Ice
Matte
50x120 cm | 19 5/8"x47 1/4"

OUTDOOR FLOOR
Boost Expression
Ice
Outdoor Sensitech ✠ 20mm
120x120 cm | 47 1/4"x47 1/4"

OUTDOOR WALL
Boost Expression
Ice
Matte
120x278 cm | 47 1/4"x109 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

^

FLOOR
Boost Expression
Ice
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Expression
Grain Glow
Matte
50x120 cm | 19 5/8"x47 1/4"

<

FLOOR
Boost Expression
Ice
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Expression
3D Loop Ice
Matte
50x120 cm | 19 5/8"x47 1/4"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

INDOOR FLOOR
Boost Expression
Ice
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

INDOOR WALL
Boost Expression
Ice
Matte
120x278 cm | 47¹/₄"x109¹/₂"

OUTDOOR FLOOR
Boost Expression
Ice
Outdoor Sensitech ✠ 20mm
120x120 cm | 47¹/₄"x47¹/₄"

Elemento L
Ice
Outdoor Sensitech ✠ 20mm
33x120 cm | 13"x47¹/₄"

OUTDOOR WALL
Boost Expression
Ice
Matte
120x278 cm | 47¹/₄"x109¹/₂"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Expression
Tan
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Expression
3D Flute Glow
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Expression
Sienna
Matte
50x120 cm | 19 5/8"x47 1/4"

FURNITURE
Boost Expression
Camel
Matte
120x278 cm | 47 1/4"x109 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Expression
Tan
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Expression
3D Flute Glow
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Expression
Sienna
Matte
50x120 cm | 19 5/8"x47 1/4"

FURNITURE
Boost Expression
Camel
Matte
120x278 cm | 47 1/4"x109 1/2"



INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Expression
Shell
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Expression
Shell
Matte
120x278 cm | 47 1/4"x109 1/2"

INDEX

OVERVIEW

IMAGE GALLERY

BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

^

FLOOR
Boost Expression
Shell
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Expression
Shell
Matte
120x278 cm | 47 1/4"x109 1/2"

<

FLOOR
Boost Expression
Shell
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Expression
Mosaico Ellipse Glow
Matte Sensitech
37x37,8 cm | 14 3/5"x14 7/8"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR
Boost Expression
Camel
Matte Sensitech
120x120 cm | 47$^{1}/_{4}$"x47$^{1}/_{4}$"

WALL
Boost Expression
3D Flute Shell
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

Boost Expression
Shell
Matte
120x278 cm | 47$^{1}/_{4}$"x109$^{1}/_{2}$"

Boost Expression
Grain Glow
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

BEDHEAD
Atlas Plan Boost Icor
Dune
Hammered
162x324 cm | 63$^{3}/_{4}$"x127$^{1}/_{2}$"

FURNITURE
Boost Expression
Grain Glow
50x120 cm | 195/8"x471/4"

Boost Expression
Shell
120x278 cm | 47$^{1}/_{4}$"x109$^{1}/_{2}$"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



WALL

Boost Expression
Shell
Matte
120x278 cm | 47$^{1}/_{4}$"x109$^{1}/_{2}$"

Boost Expression
Grain Glow
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

Boost Expression
3D Flute Shell
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR
Boost Expression
Camel
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Expression
Grain Shell
Matte
50x120 cm | 19 5/8"x47 1/4"

FURNITURE
Boost Expression
Shell
Matte
120x278 cm | 47 1/4"x109 1/2"

SINK | **EVOLUZIONE - DUO**
Atlas Concorde Habitat
Boost Expression Shell Matte
Rectangular Basin White
180x45x12 cm | 70 7/8"x17 3/4"x4 3/4"

SHELF | **ESSENZA - THIN**
Atlas Concorde Habitat
Boost Expression Shell
Matte
180x35x5 cm | 70 7/8"x13 3/4"x2

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

INDEX

OVERVIEW

IMAGE GALLERY

BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

^

FLOOR
Boost Expression
Haze
Matte Sensitech
120x120 cm | 47¼"x47¼"

WALL
Boost Expression
Duo Haze
Matte
120x278 cm | 47¼"x109½"

Boost Expression
Ice
Matte
120x278 cm | 47¼"x109½"

<

FLOOR
Boost Expression
Haze
Matte Sensitech
120x120 cm | 47¼"x47¼"

WALL
Boost Expression
Duo Haze
Matte
120x278 cm | 47¼"x109½"

WALL
Boost Expression
Duo Haze
Matte
120x278 cm | 47¼"x109½"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Expression
Haze
Outdoor Sensitech ✠ 20mm
120x120 cm | 47¼"x47¼"

WALL
Boost Expression
Haze
Matte
120x278 cm | 47¼"x109½"

OUTDOOR COUNTER
Boost Expression
Haze
Matte
120x278 cm | 47¼"x109½"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Expression
Haze
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Expression
Mosaico Circle Carbon
Matte Sensitech
32x32 cm | 12 3/5"x12 3/5"

Boost Expression
Haze
Matte
120x278 cm | 47 1/4"x109 1/2"

COUNTERTOP
Atlas Plan
Boost Mineral Grey
162x324 cm | 63 3/4"x127 1/2"

FURNITURE
Atlas Plan
Boost Mineral Grey
162x324 cm | 63 3/4"x127 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Expression
Haze
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Expression
Mosaico Circle Carbon
Matte Sensitech
32x32 cm | 12 3/5"x12 3/5"

COUNTERTOP
Atlas Plan
Boost Mineral Grey
162x324 cm | 63 3/4"x127 1/2"

FURNITURE
Atlas Plan
Boost Mineral Grey
162x324 cm | 63 3/4"x127 1/2"

WALL
Boost Expression
Mosaico Ellipse Ice
Matte Sensitech
32x32 cm | 14 3/5"x14 7/8"

SHELF
Boost Expression
Ice
Matte
120x278 cm | 47 1/4"x109 1/2"

FLOOR
Boost Expression
Haze
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

OUTDOOR FLOOR
Boost Expression
Haze
Outdoor Sensitech ✠ 20mm
120x120 cm | 47 1/4"x47 1/4"

OUTDOOR WALL
Boost Expression
Haze
Matte
120x278 cm | 47 1/4"x109 1/2"

OUTDOOR COUNTER
Boost Expression
Haze
Matte
120x278 cm | 47 1/4"x109 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Expression
Ice
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Expression
Olive
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Expression
Ice
Matte
120x278 cm | 47 1/4"x109 1/2"

SINK | **ESSENZA - UP**
Atlas Concorde Habitat
Boost Expression Ice Matte
65x50x15 cm | 25 5/8"x 19 5/8"x5 7/8"

TOP | **ESSENZA - LEVEL**
Atlas Concorde Habitat
Boost Expression Ice Matte
240x50x15 cm | 94 1/2"x 19 5/8"x5 7/8"

SHELF | **ESSENZA - THIN**
Atlas Concorde Habitat
Boost Expression Ice Matte
240x35x5 cm | 94 1/2"x15 3/4"x2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Expression
Ice
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Expression
Life Olive
Designed by Atlas Concorde
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Expression
Ice
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Expression
Olive
Matte
50x120 cm | 19 5/8"x47 1/4"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



Architectural Stone-Crete and Metals

BOOST
VISION

DOWNLOAD >
DIGITAL CATALOG

The collection balances two materials: the concrete and the stone. Contemporary projects are made unique by the combination of warm essential tones and the metal look: Corten, Brass, Steel.

La collezione bilancia due materiali: il cemento e la pietra. Progetti contemporanei sono resi unici dalla combinazione di toni caldi ed essenziali e dal look metallo: Corten, Brass, Steel.

INDEX

OVERVIEW

IMAGE GALLERY

BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Vision
Camel
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Vision
Glow
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Vision
Brass
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Vision
3D Qube Camel
Matte
50x120 cm | 19 5/8"x47 1/4"

FURNITURE
Nyra
Mist
Matte
120x278 cm | 47 1/4"x109 1/2"

Atlas Plan
Taj Mahal
Silk
162x324 cm | 63 5/8"x127"

SIDE TABLE | **TRATTO - GIOTTO**
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 45 cm | 17 7/8" - Ø 65 cm | 25 5/8"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR
Boost Vision
Camel
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Vision
Glow
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Vision
Brass
Matte
120x278 cm | 47 1/4"x109 1/2"

FURNITURE
Nyra
Mist
Matte
120x278 cm | 47 1/4"x109 1/2"

Atlas Plan
Taj Mahal
Silk
162x324 cm | 63 5/8"x127"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Vision
Camel
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

SIDE TABLE | **TRATTO - GIOTTO**
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 45 cm | 17 3/4" - Ø 65 cm | 25 5/8"



INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR	WALL		
Boost Vision	**Boost Vision**	**Boost Vision**	**Boost Vision**
Camel	**Glow**	**Brass**	**3D Qube Camel**
Matte Sensitech	Matte	Matte	Matte
120x120 cm | 47 1/4"x47 1/4"	120x278 cm | 47 1/4"x109 1/2"	120x278 cm | 47 1/4"x109 1/2"	50x120 cm | 19 5/8"x47 1/4"

FURNITURE	COUNTERTOP	HOSPITALITY TABLE | **MANHATTAN**
Boost Vision	**Atlas Plan**	**Atlas Concorde Habitat**
3D Qube Camel	**Boost Vision Glow**	**Desert Soul**
Matte	Hammered	Polished
50x120 cm | 19 5/8"x47 1/4"	162x324 cm | 63 5/8"x127"	70x70 cm | 27 1/2"x27 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

^

FLOOR
Boost Vision
Camel
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Vision
Glow
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Vision
3D Qube Camel
Matte
50x120 cm | 19 5/8"x47 1/4"

HOSPITALITY TABLE | **MANHATTAN**
Atlas Concorde Habitat
Desert Soul
Polished
70x70 cm | 27 1/2"x27 1/2"

>

FURNITURE
Boost Vision
3D Qube Camel
Matte
50x120 cm | 19 5/8"x47 1/4"

COUNTERTOP
Atlas Plan
Boost Vision Glow
Hammered
162x324 cm | 63 5/8"x127"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR
Boost Vision
Ash
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Vision
3D Qube Camel
Matte
50x120 cm | 19 5/8"x47 1/4"

SIDE TABLE | **TRATTO - GIOTTO**
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 65 cm | 25 5/8"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Atlas Plan
Boost Vision Glow
Hammered
160x320 cm | 63"x126"

WALL
Atlas Plan
Boost Vision Camel
Hammered
160x320 cm | 63"x126"

Boost Vision
3D Veil Glow
Matte
40x80 cm | 15$^{3}/_{4}$"x31$^{1}/_{2}$"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 65 cm | 25$^{5}/_{8}$"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Atlas Plan
Boost Vision Glow
Hammered
160x320 cm | 63"x126"

WALL
Atlas Plan
Boost Vision Camel
Hammered
160x320 cm | 63"x126"

SINK | EVOLUZIONE DUO
Atlas Concorde Habitat
Boost Vision Glow
Matte
270x45x12 cm | 106 1/4"x17 3/4 3/4"x4 3/4"

VANITY UNIT | ARMONIA
Boost Vision Glow
Matte
60-30-90x45x32 cm
23 5/8"-11 3/4"-35 3/8"x17 3/4"x12 5/8"

SHELF | TRATTO - OMEGA
Atlas Concorde Habitat
Boost Vision Glow
Matte
30x12x10 cm | 11 3/4"x4 3/4"x3 7/8"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 65 cm | 25 5/8"

INDEX
OVERVIEW
IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL
PRODUCT FINDER
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

FLOOR
Atlas Plan
Boost Vision Glow
Hammered
160x320 cm | 63"x126"

WALL
Boost Vision
3D Veil Glow
Matte
40x80 cm | $15^{3}/_{4}$"x$31^{1}/_{2}$"

SHELF | TRATTO - OMEGA
Atlas Concorde Habitat
Boost Vision Glow
Matte
30x12x10 cm | $11^{3}/_{4}$"x$4^{3}/_{4}$"x$3^{7}/_{8}$"

STORAGE UNIT | TRATTO - TORRE
Atlas Concorde Habitat
Precious Brown
Silk
30x30x60 cm | $11^{3}/_{4}$"x$11^{3}/_{4}$"x$23^{5}/_{8}$"



INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Vision
Ash
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Vision
Glow
Matte
120x278 cm | 47 1/4"x109 1/2"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 45 cm | 17 3/4" - Ø 65 cm | 25 5/8" - Ø 120 cm | 47 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR
Boost Vision
Ash
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 65 cm | 25 5/8"

TRAY | TRATTO - QUADRO
Atlas Concorde Habitat
Nero Marquina
Polished - Silk
36x36 cm | 14 1/8"x14 1/8"

TRAY | TRATTO - DISCO
Atlas Concorde Habitat
Nyra Ambro sia - Boost Vision Camel
Hammered
Ø 36 cm | 14 1/8"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

OUTDOOR FLOOR
Boost Vision
Ash
Outdoor Sensitech ‡20 mm
120x120 cm | 47 1/4"x47 1/4"

INDOOR FLOOR
Boost Vision
Ash
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Vision
Ash
Matte
120x278 cm | 47 1/4"x109 1/2"

FURNITURE
Boost Vision
Corten
Matte
120x278 cm | 47 1/4"x109 1/2"

STORAGE UNIT | TRATTO - TORRE SLIM
Atlas Concorde Habitat
Boost Vision Glow
Hammered
30x15x90 cm | 11 3/4"x5 7/8"x35 1/2"

STORAGE UNIT | TRATTO - TORRE
Atlas Concorde Habitat
Boost Vision Glow
Hammered
30x30x120 cm | 11 3/4"x11 3/4"x47 1/8"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

INDOOR FLOOR
Boost Vision
Ash
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

OUTDOOR FLOOR
Boost Vision
Ash
Outdoor Sensitech ⧗20 mm
120x120 cm | 47 1/4"x47 1/4"

FACADE
Boost Vision
Grey
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Vision
Corten
Matte
120x278 cm | 47 1/4"x109 1/2"

FURNITURE
Boost Vision
Corten
Matte
120x278 cm | 47 1/4"x109 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Vision
Haze
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Vision
Steel
Matte
120x278 cm | 47 1/4"x109 1/2"

FURNITURE
Boost Vision
Haze
Matte
120x278 cm | 47 1/4"x109 1/2"

COUNTERTOP
Atlas Plan
Silver Root
Silk
162x324 cm | 63 5/8"x127"

DINING TABLE | INCONTRO
Atlas Concorde Habitat
Fior di Bosco
Silk
300x100x75 cm | 118 1/8"x39 3/8"x29 1/2"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Nero Marquina
Polished - Silk
Ø 120 cm | 47 1/2"

Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 65 cm | 25 5/8"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

OUTDOOR FLOOR
Boost Vision
Haze
Grip Sensitech
120x120 cm | 47 1/4"x47 1/4"

SIDE TABLE | **TRATTO - GIOTTO**
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 120 cm | 47 1/2"

Atlas Concorde Habitat
Nero Marquina
Polished - Silk
Ø 65 cm | 25 5/8"

FLOWER POT | **TRATTO - HASHTAG**
Atlas Concorde Habitat
Silver Root
Silk
40x40x48 cm | 15 3/4"x15 3/4"x18 7/8"

FLOOR
Boost Vision
Haze
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Vision
Steel
Matte
120x278 cm | 47 1/4"x109 1/2"

FURNITURE
Boost Vision
Haze
Matte
120x278 cm | 47 1/4"x109 1/2"

COUNTERTOP
Atlas Plan
Silver Root
Silk
162x324 cm | 63 5/8"x127"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Vision
Haze
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Vision
3D Qube Glow
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Vision
Haze
Matte
120x278 cm | 47 1/4"x109 1/2"

SHOWER WALL
Boost Vision
Steel
Matte
120x278 cm | 47 1/4"x109 1/2"

SINK | **ESSENZA DUO**
Atlas Concorde Habitat
Boost Vision Grey
Matte
240x50x15 cm | 94 1/2"x19 5/8"x5 7/8"

SHELF | **TRATTO - OMEGA**
Atlas Concorde Habitat
Precious Brown
Silk
60x12x10 cm | 23 5/8"x4 3/4"x3 7/8"

STORAGE UNIT | **TRATTO - TORRE SLIM**
Atlas Concorde Habitat
Precious Brown
Silk
30X15x90 cm | 11 3/4"x5 7/8"x35 1/8"

BENCH | **TRATTO - ARCO**
Atlas Concorde Habitat
Precious Brown
Silk
150x42x42 cm | 59"x16 1/2"x16 1/2"

SIDE TABLE | **TRATTO - GIOTTO**
Atlas Concorde Habitat
Fior di Bosco
Polished – Silk
Ø 45 cm | 17 7/8" – Ø 65 cm | 25 5/8"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



WALL
Boost Vision
Haze
Matte
120x278 cm | 47 1/4"x109 1/2"

TRAY | **TRATTO - QUADRO**
Atlas Concorde Habitat
Nero Marquina
Polished - Silk
25x25 cm | 9 7/8"x9 7/8"

FLOOR
Boost Vision
Haze
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Vision
Steel
Matte
120x278 cm | 47 1/4"x109 1/2"

SHELF | **TRATTO - OMEGA**
Atlas Concorde Habitat
Precious Brown
Silk
90x12x10 cm | 35 1/2"x4 3/4" x3 7/8"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

OUTDOOR FLOOR
Boost Vision
Grey
Outdoor Sensitech ✝ 20 mm
120x120 cm | 47 1/4"x47 1/4"

Log
Icon Oak Deck
Outdoor Sensitech ✝ 20 mm
60x120 cm | 23 5/8"x47 1/4"

FACADE
Boost Vision
Grey
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Vision
Corten
Matte
120x278 cm | 47 1/4"x109 1/2"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 45 cm | 17 7/8" - Ø 65 cm | 25 5/8"

Atlas Concorde Habitat
Nero Marquina
Polished - Silk
Ø 120 cm | 47 1/4"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

OUTDOOR FLOOR
Boost Vision
Grey
Outdoor Sensitech ✠ 20 mm
120x120 cm | 47 1/4"x47 1/4"

FACADE
Boost Vision
Grey
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Vision
Corten
Matte
120x278 cm | 47 1/4"x109 1/2"

SIDE TABLE | **TRATTO - GIOTTO**
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 45 cm | 17 3/4" - Ø 65 cm | 25 5/8"

SIDE TABLE | **TRATTO - GIOTTO**
Atlas Concorde Habitat
Nero Marquina
Polished - Silk
Ø 65 cm | 25 5/8"



INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Vision
Grey
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

Boost Vision
Corten
Matte
120x278 cm | 47 1/4"x109 1/2"

WALL
Boost Vision
Corten
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Vision
Haze
Matte
120x278 cm | 47 1/4"x109 1/2"

SHELF | **TRATTO - OMEGA**
Atlas Concorde Habitat
Precious Brown
Silk
90x12x10 cm | 35 1/2"x4 3/4"x3 7/8"

STORAGE UNIT | **TRATTO - TORRE**
Atlas Concorde Habitat
Precious Brown
Silk
30x30x120 cm | 11 3/4"x11 3/4"x47 1/4"

DINING TABLE | **INCONTRO**
Atlas Concorde Habitat
Boost White
Hammered
300x100x75 cm | 118 1/8"x39 3/8"x29 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Vision
Grey
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Vision
Haze
Matte
120x278 cm | 47 1/4"x109 1/2"

SIDE TABLE | **TRATTO - GIOTTO**
Atlas Concorde Habitat
Nero Marquina
Polished - Silk
Ø 120 cm | 47 1/2"

Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 65 cm | 25 5/8"

WALL
Boost Vision
Corten
Matte
120x278 cm | 47 1/4"x109 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



Elegance to last

BOOST
ICOR

DOWNLOAD >
DIGITAL CATALOG

An elegant collection of Limestone stone-effect porcelain and wall tiles with an extremely realistic and natural appearance, easy to place either stand alone or in combination withother materials. Six modern and elegant light shades are perfectly suited to both indoor and outdoor spaces.

Una elegante collezione di gres porcellanato e rivestimenti effetto pietra Limestone dall'aspetto estremamente realistico e naturale, che rende il prodotto di facile collocazione sia stand alone che in abbinamento ad un altro materiale. Sei tonalità chiare moderne ed eleganti si adattano perfettamente sia ad ambienti indoor che outdoor.

INDEX
OVERVIEW
IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL
PRODUCT FINDER
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

INDOOR FLOOR
Boost Icor
Dune
Matte Sensitech
120x120 (47¼"x47¼")

OUTDOOR FLOOR
Boost Icor
Dune
Outdoor Sensitech ✠ 20 mm
120x120 (47¼"x47¼")

Boost Icor
Dune Combo A
Outdoor Sensitech ✠ 20mm
48,4x119 (19 1/8" x 46 7/8")

Boost Icor
Dune Combo B
Outdoor Sensitech ✠ 20mm
42,5x119 (16 3/4" x 46 7/8")

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

INDOOR FLOOR
Boost Icor
Dune
Matte Sensitech
120x120 (47¹/₄"x94¹/₂")

WALL
Boost Icor
Dune Furnace
Mosaico Matte
30x19,5 (11³/₄"x7⁵/₈")

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

INDOOR FLOOR
Boost Icor
Dune
Matte Sensitech
120x120 (47 1/4"x47 1/4")

WALL
Boost Icor
Dune Furnace
Mosaico Matte
30x19,5 (11 3/4"x7 5/8")



INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

INDOOR FLOOR
Boost Icor
Sideral
Matte Sensitech
120x120 (47 1/4"x47 1/4")

WALL
Boost Icor
Dust
Matte
120x278 (47 1/4"x109 1/2")

Boost Icor
Dust Furnace
Mosaico Matte
30x19,5 (11 15/16"x7 11/16")

COUNTERTOP
Atlas Plan
Boost Icor Bone
Hammered ≠ 12 mm
162x324 (63 3/4"x127 1/2")

Space designed by
MARCO CASAMONTI / ARCHEA ASSOCIATI

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

INDOOR FLOOR
Boost Icor
Sideral
Matte Sensitech
120x120 (47 1/4"x47 1/4")

WALL
Boost Icor
Dust
Matte
120x278 (47 1/4"x109 1/2")

Boost Icor
Dust Furnace
Mosaico Matte
30x19,5 (11 13/16"x7 11/16")

COUNTERTOP
Atlas Plan
Boost Icor Bone
Hammered ✠ 12 mm
162x324 (63 3/4"x127 1/2")

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

WALL
Boost Icor
Dust Furnace
Mosaico Matte
30x19,5 ($11^{13}/_{16}$"x$7^{11}/_{16}$")

OUTDOOR FLOOR
Boost Icor
Sideral
Outdoor Sensitech ✠ 20 mm
120x120 ($47^{1}/_{4}$"x$47^{1}/_{4}$")

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Icor
Dust
Matte Sensitech
60x120 (23$^{5}/_{8}$"x47$^{1}/_{4}$")

WALL
Boost Icor
Dust
Matte
50x120 (19$^{5}/_{8}$"x47$^{1}/_{4}$")

Boost Icor
3D Wheat Dust
Matte
50x120 (19$^{5}/_{8}$"x47$^{1}/_{4}$")

VANITY UNIT | **ARMONIA**
Atlas Concorde Habitat
Boost Icor Dust Matte
Rectangular Basin White
120x45x53 (47$^{1}/_{4}$"x17$^{3}/_{4}$" x20$^{7}/_{8}$")

Space designed by
MARCO CASAMONTI / ARCHEA ASSOCIATI

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR
Boost Icor
Dust
Matte Sensitech
60x120 ($23^{5}/_{8}$"x$47^{1}/_{4}$")

WALL
Boost Icor
Dust
Matte
50x120 ($19^{5}/_{8}$"x$47^{1}/_{4}$")

Boost Icor
3D Wheat Dust
Matte
50x120 ($19^{5}/_{8}$"x$47^{1}/_{4}$")

VANITY UNIT | **ARMONIA**
Atlas Concorde Habitat
Boost Icor Dust Matte
Rectangular Basin White Matte
120x45x53 ($47^{1}/_{4}$"x$17^{3}/_{4}$" x$20^{7}/_{8}$")

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Icor
Dust
Matte Sensitech
60x120 (23$^{5}/_{8}$"x47$^{1}/_{4}$")

WALL
Boost Icor
3D Wheat Dust
Matte
50x120 (19$^{5}/_{8}$"x47$^{1}/_{4}$")

SHELF | **ESSENZA - THIN**
Atlas Concorde Habitat
Boost Icor Dust
Matte
240x35x5 cm | 94$^{1}/_{2}$"x15$^{3}/_{4}$"x2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

OUTDOOR FLOOR

Boost Icor
Oyster Pebble A+B
Outdoor Sensitech ✠ 20 mm
59,5x59,5 (23 1/8"x23 1/8")

Boost Icor
Oyster
Outdoor Sensitech ✠ 20 mm
120x120 (47 1/4"x47 1/4")

Boost Icor
Oyster Elemento L
Outdoor Sensitech ✠ 20 mm
33x120 (13"x47 1/4")

Boost Icor
Oyster Alzata 20x120 SP
Outdoor Sensitech ✠ 20 mm
20x120 (7 1/8"x47 1/4")

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

INDOOR FLOOR
Boost Icor
Oyster
Matte Sensitech
120x120 (47¹/₄"x47¹/₄")

OUTDOOR FLOOR
Boost Icor
Oyster
Outdoor Sensitech ✠ 20 mm
120x120 (47¹/₄"x47¹/₄")

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

OUTDOOR FLOOR
Boost Icor
Oyster
Outdoor Sensitech ✠ 20 mm
120x120 (47¹/₄"x47¹/₄")

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

OUTDOOR FLOOR
Boost Icor
Oyster
Outdoor Sensitech ✚ 20 mm
120x120 (47¼"x47¼")

WALL
Boost Icor
Dust
Matte
120x278 (47¼"x109½")

FLOOR
Boost Icor
Oyster
Matte Sensitech
120x120 (47¼"x47¼")

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

WALL

Boost Icor	**Boost Icor**	**Boost Icor**	
Bone	**Bone Railway**	**3D Masonry Bone**	
Matte	Matte Sensitech	Matte	
120x278 (47 1/4"x109 1/2")	60x120 (23 5/8"x47 1/4")	50x120 (19 5/8"x47 1/4")	

FLOOR

Boost Icor	**Boost Icor**
Bone	**Bone Round**
Outdoor Sensitech ⧗ 20 mm	Outdoor Sensitech ⧗ 20 mm
120x120 (47 1/4"x47 1/4")	33x120 (13"x47 1/4")

Space designed by
MARCO CASAMONTI / ARCHEA ASSOCIATI

INDEX

OVERVIEW

IMAGE GALLERY

BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

WALL

Boost Icor
Bone
Matte
120x278 (47 1/4"x109 1/2")

Boost Icor
Bone Railway
Matte Sensitech
60x120 (23 5/8"x47 1/4")

Boost Icor
3D Masonry Bone
Matte
50x120 (19 5/8"x47 1/4")

FLOOR

Boost Icor
Bone
Outdoor Sensitech ✠ 20 mm
120x120 (47 1/4"x47 1/4")

Boost Icor
Bone Round
Outdoor Sensitech ✠ 20 mm
33x120 (13"x47 1/4")

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

OUTDOOR FLOOR
Boost Icor
Bone
Matte Sensitech ✠ 20 mm
120x120 (47$^{1}/_{4}$"x47$^{1}/_{4}$")

WALL
Boost Icor
3D Masonry Bone
Matte
50x120 (19$^{5}/_{8}$"x47$^{1}/_{4}$")



INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

INDOOR FLOOR
Boost Icor
Sideral
Matte Sensitech
120x120 (47 1/4"x47 1/4")

WALL
Boost Icor
Oyster
Matte
120x278 (47 1/4"x109 1/4")

OUTDOOR FLOOR
Boost Icor
Sideral
Outdoor Sensitech ≠ 20 mm
120x120 (47 1/4"x47 1/4")

COUNTERTOP
Atlas Plan
Boost Icor Bone
Hammered ≠ 12 mm
162x324 (63 3/4"x127 1/2")

Space designed by
MARCO CASAMONTI / ARCHEA ASSOCIATI

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



WALL
Boost Icor
Oyster Chevron
Matte
30,5x35,6 (11/64"x12 1/64")

FLOOR
Boost Icor
Sideral
Matte Sensitech
120x120 (47 1/4"x47 1/4")

WALL
Boost Icor
Oyster
Matte
120x278 (47 1/4"x47 1/4")

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



^

FLOOR
Boost Icor
Sideral
Matte Sensitech
120x120 (47 1/4"x47 1/4")

WALL
Boost Icor
Oyster
Matte
120x278 (47 1/4"x47 1/4")

>

WALL
Boost Icor
Oyster Chevron
Matte
30,5x35,6 (1 1/64"x12 1/64")

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR
Boost Icor
Crete
Matte Sensitech
120x120 (47¹/₄"x47¹/₄")

WALL
Boost Icor
Bone
Matte
120x278 (47¹/₄"x109¹/₂")

Log
Icon Oak
Matte
120x278 (47¹/₄"x109¹/₂")

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

WALL
Boost Icor
Bone
Matte
120x278 (47 1/4"x109 1/2")

Log
Icon Oak
Matte
120x278 (47 1/4"x109 1/2")

FLOOR
Boost Icor
Crete
Matte Sensitech
120x120 (47 1/4"x47 1/4")



INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Essential stone look

BOOST
STONE

DOWNLOAD >
DIGITAL CATALOG

Boost Stone reinterprets the limestone of the Pyrenees in idealistic colors for a concrete look. Discreet surfaces for a stone effect with a measured but strong personality is reproduced with absolute realism.

Boost Stone reinterpreta la pietra calcarea dei Pirenei, nel ventaglio cromatico del mondo cemento. Superfici dall'aspetto discreto per un effetto pietra dalla misurata ma forte personalità riprodotta con assoluto realismo.

INDEX

OVERVIEW

IMAGE GALLERY

BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Stone
Grey
Outdoor Sensitech ✠ 20 mm
120x120 cm | 47 1/4"x47 1/4"

OUTDOOR CLADDING
Boost Stone
Grey
Matte
120x120 cm | 47 1/4"x47 1/4"

Boost Stone
Stone Grey
Mosaico Brick Matte
30x60 cm | 11 3/4"x23 5/8"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Stone Pearl
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Tarmac
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Stone Pearl
Mosaico Hex Matte
25x28,5 cm | 9 7/8"x11 1/4"

INDEX

OVERVIEW

IMAGE GALLERY

BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Stone Cream
Outdoor Sensitech ✠ 20 mm
120x120 cm | 47¼"x47¼"

EXTERNAL FACADE
Boost Stone Ivory
Matte
120x278 cm | 47¼"x109½"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR
Boost Stone
Ivory
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Stone
Ivory
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Natural
Coral
Matte
120x278 cm | 47 1/4"x109 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Stone
Tarmac
Matte Sensitech
120x120 cm | 47¼"x47¼"

WALL
Boost Stone
Smoke
Matte
120x278 cm | 47¼"x109½"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Stone
White
Matte Sensitech
120x120 cm | $47^{1}/_{4}$"x$47^{1}/_{4}$"

WALL
Boost Stone
White
Matte Sensitech
60x120 cm | $23^{5}/_{8}$"x$47^{1}/_{4}$"

Boost
Pearl
Matte Sensitech
60x120 cm | $23^{5}/_{8}$"x$47^{1}/_{4}$"

TOP | **ESSENZA - LEVEL**
Atlas Concorde Habitat
Boost Stone Smoke Matte
For Single Basin
180x50x12 cm | $70^{7}/_{8}$"x$19^{5}/_{8}$"x$4^{3}/_{4}$"

SHELF | **ESSENZA - THIN**
Atlas Concorde Habitat
Boost Stone Smoke
Matte
180x50x12 cm | $70^{7}/_{8}$"x$19^{5}/_{8}$"x$4^{3}/_{4}$"

SHOWER
Boost Stone
Mosaico Cube Cold
Matte
30x30 cm | $11^{3}/_{4}$"x$11^{3}/_{4}$"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Stone
Ivory
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

Exence
Amber
Matte Sensitech
18,5x150 cm | 7 1/4"x59"

WALL
Boost Stone
Ivory
Matte Sensitech
60x120 cm | 23 5/8"x47 1/4"

Boost Stone
Ivory
Mosaico Hex Matte
25x28,5 cm | 9 7/8"x11 1/4"

Boost Pro
Clay
Matte
120x278 cm | 47 1/4"x109 1/2"

SIT-ON BASIN | **ESSENZA - UP**
Atlas Concorde Habitat
Boost Stone Ivory Matte
Enveloped Bottom Basin
65x50x15 cm | 25 5/8"x19 5/8"x5 7/8"

TOP | **ESSENZA - LEVEL**
Atlas Concorde Habitat
Boost Pro Clay Matte
For Single Basin
180x50x15 cm | 70 7/8"x19 5/8"x5 7/8"

SHELF | **ESSENZA - THIN**
Atlas Concorde Habitat
Boost Pro Clay
Matte
180x50x12 cm | 70 7/8"x19 5/8"x4 3/4"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Inspired by Ceppo di Grè stone

BOOST
MIX

DOWNLOAD >
DIGITAL CATALOG

Boost Mix replicates the unmistakable texture of Ceppo di Gré, a sedimentary stone with a distinct pebbled appearance reminiscent of 20th-century Milan.
The collection's three neutral shades work best when combined with the concrete-effect colors of Boost and Boost Pro.

Boost Mix riproduce l'inconfondibile texture del Ceppo di Gré, pietra sedimentaria dal caratteristico aspetto a ciottoli e simbolo della Milano del '900. Le tre tonalità neutre della collezione si esprimono al meglio in abbinamento alle colorazioni effetto cemento di Boost e Boost Pro.

INDEX
OVERVIEW
IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL
PRODUCT FINDER
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

FLOOR
Boost Mix Pearl
Outdoor Sensitech ✠ 20 mm
120x120 cm | 47 1/4 x 47 1/4"

INDEX

OVERVIEW

IMAGE GALLERY

BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Mix
Pearl
Matte Sensitech
120x120 cm | 47¼"x47¼"

WALL
Boost Mix
Pearl
Matte
120x278 cm | 47¼"x109½"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Mix Pearl
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Mix
Pearl
Matte Sensitech
120x120 cm | 47$^{1}/_{4}$"x47$^{1}/_{4}$"

Entice
Copper Oak Natural
Grip
20x120 cm | 7$^{7}/_{8}$"x47$^{1}/_{4}$"

WALL
Boost Mix
Pearl
Matte
120x278 cm | 47$^{1}/_{4}$"x109$^{1}/_{2}$"

Boost
White
Matte
120x278 cm | 47$^{1}/_{4}$"x109$^{1}/_{2}$"

TOP | **ESSENZA - LEVEL**
Atlas Concorde Habitat
Boost Mix Pearl Matte
For Single Basin
180x50x15 cm | 70$^{7}/_{8}$"x19$^{5}/_{8}$"x5$^{7}/_{8}$"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Mix
Smoke
Matte Sensitech
120x120 cm | 47¼"x47¼"

WALL
Boost Mix
Smoke
Matte
120x278 cm | 47¼"x109½"

Boost
White
Matte
120x278 cm | 47¼"x109½"



INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Mix
Ivory
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Mix
Ivory
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Natural
Cobalt
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Natural
Ecru
Matte
120x278 cm | 47¹/₄"x109¹/₂"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FACADE
Boost Mix
Pearl
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Mix
Smoke
Matte
120x278 cm | 47 1/4"x109 1/2"

FLOOR
Boost Mix
Pearl
Outdoor Sensitech ✠ 20 mm
120x120 cm | 47 1/4"x47 1/4"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



Elegant stone look

BOOST MINERAL

DOWNLOAD >
DIGITAL CATALOG

An authentic and modern stone effect combining indoor and outdoor. Boost Mineral crystallises the naturalness of Belgian Ardennes stone on the ceramic surface.

Un effetto pietra autentico e moderno in dialogo tra interno ed esterno. Boost Mineral cristallizza la naturalezza della pietra delle Ardenne sulla superficie ceramica.

INDEX

OVERVIEW

IMAGE GALLERY

BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Mineral
White Elegant
Matte Sensitech
120x240 cm | 47¹/₄"x94¹/₂"

WALL
Boost Mineral
White Elegant
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Pro
Clay
Matte
120x278 cm | 47¹/₄"x109¹/₂"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Mineral
White Elegant
Matte Sensitech
120x240 cm | 47 1/4"x94 1/2"

Boost Mineral
White Elegant
Outdoor Sensitech ✚ 20 mm
60x120 cm | 23 5/8"x47 1/4"

WALL
Boost Mineral
White Elegant
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost
Pro Clay
Matte
120x278 cm | 47 1/4"x109 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Mineral
White
Matte Sensitech
120x120 cm | 47¼"x47¼"

Boost Mineral
White
Outdoor Sensitech ✠ 20 mm
120x120 cm | 47¼"x47¼"

WALL
Boost Mineral
White
Brick
30x60 cm | 11¾"x23⅝"

FLOOR
Boost Mineral
White
Outdoor Sensitech ✠ 20 mm
120x120 cm | 47¼"x47¼"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR
Boost Mineral
White
Outdoor Sensitech ✠ **20 mm**
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Mineral
White
Brick
30x60 cm | 11 3/4"x23 5/8"

INDEX

OVERVIEW

IMAGE GALLERY

BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Mineral
Pearl
Outdoor Sensitech ✠ **20 mm**
60x120 cm | $23^{5}/_{8}$"x$47^{1}/_{4}$"

Boost Mineral
Pearl Elegant
Matte Sensitech
120x240 cm | $47^{1}/_{4}$"x$94^{1}/_{2}$"

WALL
Boost Mineral
Pearl Elegant
Matte
120x278 cm | $47^{1}/_{4}$"x$109^{1}/_{2}$"

COUNTERTOP
Atlas Plan
Boost Mineral Grey
Hammered
162x324 cm | $63^{3}/_{4}$"x$127^{1}/_{2}$"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR

Boost Mineral
Pearl Elegant
Matte Sensitech
120x240 cm | 47¼"x94½"

Boost Mineral
Pearl
Outdoor Sensitech ✠ 20 mm
60x120 cm | 23⅝"x47¼"

WALL

Boost Mineral
Pearl Elegant
Matte
120x278 cm | 47¼"x109½"

Boost
White
Matte
120x278 cm | 47¼"x109½"

COUNTERTOP

Atlas Plan
Boost Mineral Grey
Hammered
162x324 cm | 63¾"x127½"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Mineral
Pearl Elegant
Matte Sensitech
120x240 cm | 47 1/4"x94 1/2"

Boost Mineral
Pearl
Outdoor Sensitech ✚ 20 mm
60x120 cm | 23 5/8"x47 1/4"

WALL
Boost Mineral
Pearl Elegant
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost
White
Matte
120x278 cm | 47 1/4"x109 1/2"

COUNTERTOP
Atlas Plan
Boost Mineral Grey
Hammered
162x324 cm | 63 3/4"x127 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Mineral
Pearl
Matte Sensitech
75x150 cm | 29$^{1}/_{2}$"x59"

Exence
Almond
Tatami
18,5x75 cm | 7$^{1}/_{4}$"x29$^{1}/_{2}$"

WALL
Boost Mineral
Pearl
Matte Sensitech
75x150 cm | 29$^{1}/_{2}$"x59"

TOP | **ESSENZA - LEVEL**
Atlas Concorde Habitat
Boost Mineral Pearl Matte
For Double Basin
180x50x15 cm | 70$^{7}/_{8}$"x19$^{5}/_{8}$"x5$^{7}/_{8}$"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Mineral Grey
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

Boost Mineral Grey
Outdoor Sensitech ✠ 20 mm
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Mineral Grey
Matte Sensitech
60x120 cm | 23 5/8"x47 1/4"

Boost Tarmac
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Mineral Grey
Brick
30x60 cm | 11 3/4"x23 5/8"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR
Boost Mineral
Grey
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Mineral
Grey
Matte Sensitech
60x120 cm | 23 5/8"x47 1/4"

Boost
Tarmac
Matte
120x278 cm | 47 1/4"x94 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Mineral Smoke
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

Entice Copper Oak Natural
Matte Sensitech
18,5x150 cm | 7 1/4"x59"

WALL
Boost Mineral Smoke Elegant
Matte
120x278 cm | 47 1/4"x109 1/2"

TWIN SINK | **ESSENZA - DUO**
Atlas Concorde Habitat
Boost Tarmac Matte
Enveloped Bottom Basin
210x50x15 cm | 82 5/8"x19 5/8"x5 7/8"

SHELF | **ESSENZA - THIN**
Atlas Concorde Habitat
Boost Tarmac
Matte
210x35x5 cm | 82 5/8"x13 3/4"x2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR
Boost Mineral
Smoke
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

Entice
Copper Oak Natural
Matte Sensitech
18,5x150 cm | 7 1/4"x59"

WALL
Boost Mineral
Smoke Elegant
Matte
120x278 cm | 47 1/4"x109 1/2"

TWIN SINK | **ESSENZA - DUO**
Atlas Concorde Habitat
Boost Tarmac Matte
Enveloped Bottom Basin
210x50x15 cm | 82 5/8"x19 5/8"x5 7/8"

SHELF | **ESSENZA - THIN**
Atlas Concorde Habitat
Boost Tarmac
Matte
210x35x5 cm | 82 5/8"x13 3/4"x2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

FLOOR
Boost Mineral
Smoke
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

Entice
Copper Oak Natural
Matte Sensitech
18,5x150 cm | 7 1/4"x59"

WALL
Boost Mineral
Smoke Elegant
Matte
120x278 cm | 47 1/4"x109 1/2"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR
Boost Mineral
Tarmac
Outdoor Sensitech ✠ 20 mm
120x120 cm | 47¼"x94½"

Boost Mineral
Tarmac Elegant
Matte Sensitech
120x240 cm | 47¼"x94½"

WALL
Boost Mineral
Tarmac Elegant
Matte
120x278 cm | 47¼"x109½"

COUNTERTOP
Atlas Plan
Boost Mineral Grey
Hammered
162x324 cm | 63¾"x127½"

FURNITURE
Atlas Plan
Boost Mineral Grey
Hammered
162x324 cm | 63¾"x127½"

INDEX

OVERVIEW

IMAGE GALLERY
BOOST
BOOST PRO
BOOST NATURAL
BOOST NATURAL PRO
BOOST BALANCE
BOOST COLOR
BOOST EXPRESSION
BOOST VISION
BOOST ICOR
BOOST STONE
BOOST MIX
BOOST MINERAL

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Product Finder

- PORCELAIN TILES SURFACE RANGE
- WALL TILES SURFACE RANGE
- DECORS RANGE

INDEX
OVERVIEW
IMAGE GALLERY
PRODUCT FINDER
PORCELAIN TILES SURFACE RANGE
WALL TILES SURFACE RANGE
DECORS RANGE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Porcelain Tiles

Boost



Boost Pro





INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER
PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Porcelain Tiles

Boost Natural

Boost Natural Pro

INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER
PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Porcelain Tiles

Boost Balance

Boost Color

INDEX
OVERVIEW
IMAGE GALLERY
PRODUCT FINDER
PORCELAIN TILES SURFACE RANGE
WALL TILES SURFACE RANGE
DECORS RANGE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Porcelain Tiles

Boost Expression















Boost Vision



INDEX
OVERVIEW
IMAGE GALLERY
PRODUCT FINDER
PORCELAIN TILES SURFACE RANGE
WALL TILES SURFACE RANGE
DECORS RANGE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Porcelain Tiles

Boost Icor



Boost Stone

INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER
PORCELAIN TILES SURFACE RANGE
WALL TILES SURFACE RANGE
DECORS RANGE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Porcelain Tiles

Boost Mix

Boost Mineral

INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER
PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Wall Tiles

Boost

Boost Pro

INDEX
OVERVIEW
IMAGE GALLERY
PRODUCT FINDER
PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Wall Tiles

Boost Natural







INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Wall Tiles

Boost Natural Pro







INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Wall Tiles

Boost Color

INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Wall Tiles

Boost Color



INDEX
OVERVIEW
IMAGE GALLERY
PRODUCT FINDER
PORCELAIN TILES SURFACE RANGE
WALL TILES SURFACE RANGE
DECORS RANGE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Wall Tiles

Boost Expression













INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Wall Tiles

Boost Vision





Boost Icor



INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Porcelain Tile Decors **Boost**

4,8x4,8 cm - 1$^{7}/_{8}$"x1$^{7}/_{8}$"

Boost White
Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"

Boost Pearl
Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"



Boost Grey
Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"



Boost Smoke
Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"

Boost Tarmac
Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"

A 11,4x6,5 cm - 4$^{1}/_{2}$"x2$^{1}/_{2}$"
B 11,4x6,5 cm - 4$^{1}/_{2}$"x2$^{1}/_{2}$"
C 6,3x3,2 cm - 2$^{1}/_{2}$" x1$^{1}/_{4}$"

Boost White
Mosaico Shapes
31x33,5 cm - 12$^{1}/_{4}$"x13$^{1}/_{4}$"

Boost Pearl
Mosaico Shapes
31x33,5 cm - 12$^{1}/_{4}$"x13$^{1}/_{4}$"

Boost Grey
Mosaico Shapes
31x33,5 cm - 12$^{1}/_{4}$"x13$^{1}/_{4}$"

Boost Smoke
Mosaico Shapes
31x33,5 cm - 12$^{1}/_{4}$"x13$^{1}/_{4}$"

Boost Tarmac
Mosaico Shapes
31x33,5 cm - 12$^{1}/_{4}$"x13$^{1}/_{4}$"

A 9,7x3,8 cm - 3$^{7}/_{8}$"x1$^{1}/_{2}$"
B 4,8x3,8 cm - 1$^{7}/_{8}$" x1$^{1}/_{2}$"
C 4,6x3,6 cm - 1$^{3}/_{4}$" x1$^{3}/_{8}$"
D 4,6x3,6 cm - 1$^{3}/_{4}$" x1$^{3}/_{8}$"

Boost Smoke
Mosaico Hex Yellow [1]
25x28,5 cm - 9$^{7}/_{8}$"x11$^{1}/_{4}$"

Boost Smoke
Mosaico Hex Black [1]
25x28,5 cm - 9$^{7}/_{8}$"x11$^{1}/_{4}$"

Boost Tarmac
Mosaico Hex Jade [1]
25x28,5 cm - 9$^{7}/_{8}$"x11$^{1}/_{4}$"

Boost Tarmac
Mosaico Hex Black [1]
25x28,5 cm - 9$^{7}/_{8}$"x11$^{1}/_{4}$"

Wall Tile Decors **Boost**

2,9x7,5 cm 1$^{1}/_{8}$"x3"

Boost White
Minibrick
30,5x30,5 cm - 12"x12"

Boost Pearl
Minibrick
30,5x30,5 cm - 12"x12"

Boost Grey
Minibrick
30,5x30,5 cm - 12"x12"

Boost Smoke
Minibrick
30,5x30,5 cm - 12"x12"

Boost Sage
Minibrick
30,5x30,5 cm - 12"x12"

Boost Red
Minibrick
30,5x30,5 cm - 12"x12"



Porcelain Tile Decors **Boost Pro**

4,8x4,8 cm - 1$^{7}/_{8}$"x1$^{7}/_{8}$"

Boost Pro Ivory
Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"

Boost Pro Cream
Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"

Boost Pro Clay
Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"

Boost Pro Taupe
Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"

Boost Pro Tobacco
Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"

A 11,4x6,5 cm - 4$^{1}/_{2}$"x2$^{1}/_{2}$"
B 11,4x6,5 cm - 4$^{1}/_{2}$"x2$^{1}/_{2}$"
C 6,3x3,2 cm - 2$^{1}/_{2}$" x1$^{1}/_{4}$"

Boost Pro Ivory
Mosaico Shapes
31x33,5 cm - 12$^{1}/_{4}$"x13$^{1}/_{4}$"

Boost Pro Cream
Mosaico Shapes
31x33,5 cm - 12$^{1}/_{4}$"x13$^{1}/_{4}$"

Boost Pro Clay
Mosaico Shapes
31x33,5 cm - 12$^{1}/_{4}$"x13$^{1}/_{4}$"

Boost Pro Taupe
Mosaico Shapes
31x33,5 cm - 12$^{1}/_{4}$"x13$^{1}/_{4}$"

Boost Pro Tobacco
Mosaico Shapes
31x33,5 cm - 12$^{1}/_{4}$"x13$^{1}/_{4}$"

A 9,7x3,8 cm - 3$^{7}/_{8}$"x1$^{1}/_{2}$"
B 4,8x3,8 cm - 1$^{7}/_{8}$" x1$^{1}/_{2}$"
C 4,6x3,6 cm - 1$^{3}/_{4}$" x1$^{3}/_{8}$"
D 4,6x3,6 cm - 1$^{3}/_{4}$" x1$^{3}/_{8}$"

Boost Pro Ivory
Mosaico Hex Olive [1]
25x28,5 cm - 9$^{7}/_{8}$"x11$^{1}/_{4}$"

Boost Pro Cream
Mosaico Hex Blue [1]
25x28,5 cm - 9$^{7}/_{8}$"x11$^{1}/_{4}$"

Boost Pro Taupe
Mosaico Hex Coffee [1]
25x28,5 cm - 9$^{7}/_{8}$"x11$^{1}/_{4}$"

Wall Tile Decors **Boost Pro**



A 29,6 cm - 11$^{5}/_{8}$"
B 37,6 cm - 14$^{3}/_{4}$"
b 33,3 cm - 13$^{1}/_{8}$"

Boost Pro Ivory
Minibrick Pro Olive [1]
29,7x33,3 cm - 11$^{5}/_{8}$"x13$^{1}/_{4}$"

Boost Pro Cream
Minibrick Pro Blue [1]
29,7x33,3 cm - 11$^{5}/_{8}$"x13$^{1}/_{4}$"

Boost Pro Clay
Minibrick Pro Coffee [1]
29,7x33,3 cm - 11$^{5}/_{8}$"x13$^{1}/_{4}$"

Boost Pro Mustard
Minibrick Pro Yellow [1]
29,7x33,3 cm - 11$^{5}/_{8}$"x13$^{1}/_{4}$"

Boost Pro Powder Blue
Minibrick Pro Ocean [1]
29,7x33,3 cm - 11$^{5}/_{8}$"x13$^{1}/_{4}$"

[1] **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Eviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

INDEX
OVERVIEW
IMAGE GALLERY
PRODUCT FINDER
PORCELAIN TILES SURFACE RANGE
WALL TILES SURFACE RANGE
DECORS RANGE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Porcelain Tile Decors **Boost Natural**



A 36,8 cm - 14 1/2"
B 33,8 cm - 13 1/4"

Boost Natural Kaolin Mosaico Rhombus
36,7x33,8 cm - 14 1/2"x13 1/4"

Boost Natural Ash Mosaico Rhombus
36,7x33,8 cm - 14 1/2"x13 1/4"

Boost Natural Ecru Mosaico Rhombus
36,7x33,8 cm - 14 1/2"x13 1/4"

Boost Natural Umber Mosaico Rhombus
36,7x33,8 cm - 14 1/2"x13 1/4"

Boost Natural Coal Mosaico Rhombus
36,7x33,8 cm - 14 1/2"x13 1/4"

Boost Natural Coral Mosaico Rhombus
36,7x33,8 cm - 14 1/2"x13 1/4"

Boost Natural Cobalt Mosaico Rhombus
36,7x33,8 cm - 14 1/2"x13 1/4"



A 31 cm - 12 1/4"
B 31 cm - 12 1/4"

Boost Natural Kaolin Mosaico Tumbled [1]
31x31 cm - 12 1/4"x12 1/4"

Boost Natural Ash Mosaico Tumbled [1]
31x31 cm - 12 1/4"x12 1/4"

Boost Natural Ecru Mosaico Tumbled [1]
31x31 cm - 12 1/4"x12 1/4"

Boost Natural Umber Mosaico Tumbled [1]
31x31 cm - 12 1/4"x12 1/4"

Boost Natural Coal Mosaico Tumbled [1]
31x31 cm - 12 1/4"x12 1/4"

Boost Natural Coral Mosaico Tumbled [1]
31x31 cm - 12 1/4"x12 1/4"

Boost Natural Cobalt Mosaico Tumbled [1]
31x31 cm - 12 1/4"x12 1/4"



[1] **Tumbled. Irregularities in the edges are not defects but rather features intrinsic to this type of product.** - Burattato. Le irregolarità del bordo non sono da considerarsi un difetto ma una caratteristica intrinseca di questa tipologia di prodotto. - Tamisé. Les irrégularités des bords ne doivent pas être considérées comme un défaut mais comme une caractéristique intrinsèque de ce type de produit. - Genarbt. Die unregelmäßigen Kanten sind nicht als Fehler zu betrachten; sie sind ein für dieses Produkt charakteristisches Merkmal. - Tamboreado. Las irregularidades de los bordes no deben considerarse un defecto, sino una característica intrínseca de este tipo de productos. - Галтованная мозаика. Неровности граней являются не дефектом, а неотъемлемой характеристикой данного вида изделий.

Wall Tile Decors **Boost Natural**



A 50 cm - 19 5/8"
B 7,95 cm - 3 1/8"
b 40,4 cm - 15 7/8"

Boost Natural Kaolin Mosaico Piano
50x40,5 cm - 19 5/8"x16"

Boost Natural Ash Mosaico Piano
50x40,5 cm - 19 5/8"x16"

Boost Natural Ecru Mosaico Piano
50x40,5 cm - 19 5/8"x16"

Boost Natural Kaolin Mosaico Piano Mix
50x40,5 cm - 19 5/8"x16"

Boost Natural Ash Mosaico Piano Mix
50x40,5 cm - 19 5/8"x16"

Boost Natural Ecru Mosaico Piano Mix
50x40,5 cm - 19 5/8"x16"



A 14,5x1,3 cm - 5 1/4"x1/2"
B 14,5x5,9 cm - 5 1/4"x2 1/4"
C 14,5x1 cm - 5 1/4"x1/4"
D 14,5x3 cm - 5 1/4"x1 1/8"
E 30,7 cm - 12 1/8"
e 30 cm - 11 3/4"
F 29,1 cm - 11 1/2"

Boost Natural Kaolin Mosaico Trace Mix
30x29,2 cm - 11 3/4"x11 1/2"

Boost Natural Ash Mosaico Trace Mix
30x29,2 cm - 11 3/4"x11 1/2"

Boost Natural Ecru Mosaico Trace Mix
30x29,2 cm - 11 3/4"x11 1/2"

Porcelain Tile Decors **Boost Balance**

4,8x4,8 cm - 1$^{3}/_{4}$"x1$^{3}/_{4}$"

Boost Balance Pure
Mosaico Matte Sensitech
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"

Boost Balance Ivory
Mosaico Matte Sensitech
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"

Boost Balance Cream
Mosaico Matte Sensitech
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"



Boost Balance Ash
Mosaico Matte Sensitech
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"



Boost Balance Moon
Mosaico Matte Sensitech
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"

Boost Balance White
Mosaico Matte Sensitech
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"

Boost Balance Pearl
Mosaico Matte Sensitech
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"



Boost Balance Grey
Mosaico Matte Sensitech
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"

Boost Balance Smoke
Mosaico Matte Sensitech
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"



Boost Balance Tarmac
Mosaico Matte Sensitech
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"



A 50,5 cm - 19$^{7}/_{8}$"
B 37,4 cm - 15$^{1}/_{4}$"
b 6 cm - 2$^{3}/_{8}$"
c 12,3 cm - 4$^{7}/_{8}$"
d 7,1 cm - 2$^{3}/_{4}$"
e 6,8 cm - 2$^{5}/_{8}$"

Boost Balance Pure
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14$^{3}/_{4}$"x19$^{7}/_{8}$"

Boost Balance Ivory
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14$^{3}/_{4}$"x19$^{7}/_{8}$"

Boost Balance Cream
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14$^{3}/_{4}$"x19$^{7}/_{8}$"

Boost Balance Ash
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14$^{3}/_{4}$"x19$^{7}/_{8}$"

Boost Balance Moon
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14$^{3}/_{4}$"x19$^{7}/_{8}$"

Boost Balance White
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14$^{3}/_{4}$"x19$^{7}/_{8}$"

Boost Balance Pearl
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14$^{3}/_{4}$"x19$^{7}/_{8}$"

Boost Balance Grey
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14$^{3}/_{4}$"x19$^{7}/_{8}$"

Boost Balance Smoke
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14$^{3}/_{4}$"x19$^{7}/_{8}$"

Boost Balance Tarmac
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14$^{3}/_{4}$"x19$^{7}/_{8}$"

INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER
PORCELAIN TILES SURFACE RANGE
WALL TILES SURFACE RANGE
DECORS RANGE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Porcelain Tile Decors **Boost Balance**



60x120 cm - 23⁵/₈"x47¹/₄"

Boost Balance Moon
Mosaico Strings [1]
60x120 cm - 23⁵/₈"x47¹/₄"
available in Matte Sensitech and Velvet finish

Boost Balance White
Mosaico Strings [1]
60x120 cm - 23⁵/₈"x47¹/₄"
available in Matte Sensitech and Velvet finish

Boost Balance Pure
Mosaico Strings [1]
60x120 cm - 23⁵/₈"x47¹/₄"
available in Matte Sensitech and Velvet finish

Boost Balance Ivory
Mosaico Strings [1]
60x120 cm - 23⁵/₈"x47¹/₄"
available in Matte Sensitech and Velvet finish

Boost Balance Pearl
Mosaico Strings [1]
60x120 cm - 23⁵/₈"x47¹/₄"
available in Matte Sensitech and Velvet finish



Boost Balance Grey
Mosaico Strings [1]
60x120 cm - 23⁵/₈"x47¹/₄"
available in Matte Sensitech and Velvet finish



Boost Balance Cream
Mosaico Strings [1]
60x120 cm - 23⁵/₈"x47¹/₄"
available in Matte Sensitech and Velvet finish

Boost Balance Ash
Mosaico Strings [1]
60x120 cm - 23⁵/₈"x47¹/₄"
available in Matte Sensitech and Velvet finish



Boost Balance Smoke
Mosaico Strings [1]
60x120 cm - 23⁵/₈"x47¹/₄"
available in Matte Sensitech and Velvet finish



Boost Balance Tarmac
Mosaico Strings [1]
60x120 cm - 23⁵/₈"x47¹/₄"
available in Matte Sensitech and Velvet finish



INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Wall Tile Decors **Boost Color**



33x37 cm - 13"x14 5/8"

Boost Color Pure
Mosaico Brick Matte Sensitech
33x37 cm - 13"x14 5/8"

Boost Color Moon
Mosaico Brick Matte Sensitech
33x37 cm - 13"x14 5/8"

Boost Color Dove
Mosaico Brick Matte Sensitech
33x37 cm - 13"x14 5/8"

Boost Color Linen
Mosaico Brick Matte Sensitech
33x37 cm - 13"x14 5/8"

Boost Color Mauve
Mosaico Brick Matte Sensitech
33x37 cm - 13"x14 5/8"



Boost Color Pebble
Mosaico Brick Matte Sensitech
33x37 cm - 13"x14 5/8"

Boost Color Cream
Mosaico Brick Matte Sensitech
33x37 cm - 13"x14 5/8"

Boost Color Sun
Mosaico Brick Matte Sensitech
33x37 cm - 13"x14 5/8"

Boost Color Salix
Mosaico Brick Matte Sensitech
33x37 cm - 13"x14 5/8"

Boost Color Mint
Mosaico Brick Matte Sensitech
33x37 cm - 13"x14 5/8"



Boost Color Jade
Mosaico Brick Matte Sensitech
33x37 cm - 13"x14 5/8"

Boost Color Teal
Mosaico Brick Matte Sensitech
33x37 cm - 13"x14 5/8"



Boost Color Iris
Mosaico Brick Matte Sensitech
33x37 cm - 13"x14 5/8"

Boost Color Navy
Mosaico Brick Matte Sensitech
33x37 cm - 13"x14 5/8"





50x40 cm - 19 5/8"x15 3/4"

Boost Color Linen
Mosaico Ruler Matte Sensitech
50x40 cm - 19 5/8"x15 3/4"

Boost Color Mauve
Mosaico Ruler Matte Sensitech
50x40 cm - 19 5/8"x15 3/4"



Boost Color Jade
Mosaico Ruler Matte Sensitech
50x40 cm - 19 5/8"x15 3/4"



Boost Color Iris
Mosaico Ruler Matte Sensitech
50x40 cm - 19 5/8"x15 3/4"





INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Porcelain Tile Decors **Boost Expression**

Designed by **Elisa Ossino**



A 32 cm - 12³/₅"
B 32 cm - 12³/₅"
a 5,2 cm - 2"

Boost Expression Ice
Mosaico Circle Matte Sensitech
32x32 cm - 12³/₅"x12³/₅"

Boost Expression Haze
Mosaico Circle Matte Sensitech
32x32 cm - 12³/₅"x12³/₅"

Boost Expression Carbon
Mosaico Circle Matte Sensitech
32x32 cm - 12³/₅"x12³/₅"

Boost Expression Glow
Mosaico Circle Matte Sensitech
32x32 cm - 12³/₅"x12³/₅"

Boost Expression Shell
Mosaico Circle Matte Sensitech
32x32 cm - 12³/₅"x12³/₅"

Boost Expression Camel
Mosaico Circle Matte Sensitech
32x32 cm - 12³/₅"x12³/₅"

Boost Expression Tan
Mosaico Circle Matte Sensitech
32x32 cm - 12³/₅"x12³/₅"



A 37 cm - 14⁵/₈"
B 37,8 cm - 14⁷/₈"
a 3,2 cm - 1¹/₄"
b 18,8 cm - 7⁴/₅"

Boost Expression Ice
Mosaico Ellipse Matte Sensitech
37x37,8 cm - 14³/₅"x14⁷/₈"

Boost Expression Haze
Mosaico Ellipse Matte Sensitech
37x37,8 cm - 14³/₅"x14⁷/₈"

Boost Expression Carbon
Mosaico Ellipse Matte Sensitech
37x37,8 cm - 14³/₅"x14⁷/₈"

Boost Expression Glow
Mosaico Ellipse Matte Sensitech
37x37,8 cm - 14³/₅"x14⁷/₈"

Boost Expression Shell
Mosaico Ellipse Matte Sensitech
37x37,8 cm - 14³/₅"x14⁷/₈"

Boost Expression Camel
Mosaico Ellipse Matte Sensitech
37x37,8 cm - 14³/₅"x14⁷/₈"

Boost Expression Tan
Mosaico Ellipse Matte Sensitech
37x37,8 cm - 14³/₅"x14⁷/₈

These mosaics allow you to customize a wall by choosing the grout color during the laying phase. The colors presented in these pages are mood suggestions and purely indicative.
Questi mosaici permettono di personalizzare la parete attraverso la scelta del colore dello stucco durante la fase di posa. I colori presentati in queste pagine sono suggerimenti di mood e sono puramente indicativi.
For the best performance of the mosaic, we recommend the use of epoxy mortars (class RG - EN 13888/ISO 13007) or decorative resins-cement, following the manufacturer's instructions.
Al fine di ottenere una resa ottimale del mosaico, è consigliato l'utilizzo di malte epossidiche (classe RG - EN 13888/ISO 13007) o di resine cementizie attendendosi alle indicazioni di utilizzo fornite dal produttore.



INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER
PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Porcelain Tile Decors **Boost Icor**



A 30,5 cm - 12"
B 35,6 cm - 14"

Boost Icor Bone
Mosaico Chevron
30,5x35,6 cm (12"x14")

Boost Icor Dust
Mosaico Chevron
30,5x35,6 cm (12"x14")

Boost Icor Dune
Mosaico Chevron
30,5x35,6 cm (12"x14")

Boost Icor Crete
Mosaico Chevron
30,5x35,6 cm (12"x14")

Boost Icor Oyster
Mosaico Chevron
30,5x35,6 cm (12"x14")

Boost Icor Sideral
Mosaico Chevron
30,5x35,6 cm (12"x14")



A 30 cm - 11$^{1}/_{4}$"
B 19,5 cm - 7$^{5}/_{8}$"

***Bordi irregolari /** Uneven edges

Boost Icor Bone
Mosaico Furnace
30x19,5 cm (11$^{3}/_{4}$"x7$^{5}/_{8}$")

Boost Icor Dust
Mosaico Furnace
30x19,5 cm (11$^{3}/_{4}$"x7$^{5}/_{8}$")

Boost Icor Dune
Mosaico Furnace
30x19,5 cm (11$^{3}/_{4}$"x7$^{5}/_{8}$")

Boost Icor Crete
Mosaico Furnace
30x19,5 cm (11$^{3}/_{4}$"x7$^{5}/_{8}$")

Boost Icor Oyster
Mosaico Furnace
30x19,5 cm (11$^{3}/_{4}$"x7$^{5}/_{8}$")

Boost Icor Sideral
Mosaico Furnace
30x19,5 cm (11$^{3}/_{4}$"x7$^{5}/_{8}$")



59,5x59,5 cm
23$^{3}/_{4}$"x23$^{3}/_{4}$"

9 mm

Pebble A: 0.259 mq
Pebble B: 0.252 mq



Boost Icor Pebble A+B
Bone
59,5x59,5 cm - 23$^{3}/_{8}$"x23$^{3}/_{8}$"

Grip Sensitech
9 mm

Outdoor Sensitech
20 mm

Boost Icor Pebble A+B
Dust
59,5x59,5 cm - 23$^{3}/_{8}$"x23$^{3}/_{8}$"

Grip Sensitech
9 mm

Outdoor Sensitech
20 mm

Boost Icor Pebble A+B
Dune
59,5x59,5 cm - 23$^{3}/_{8}$"x23$^{3}/_{8}$"

Grip Sensitech
9 mm

Outdoor Sensitech
20 mm

Boost Icor Pebble A+B
Oyster
59,5x59,5 cm - 23$^{3}/_{8}$"x23$^{3}/_{8}$"

Grip Sensitech
9 mm

Outdoor Sensitech
20 mm

INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER
PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Porcelain Tile Decors **Boost Icor**



Combo A
48,4x119 cm
19 1/8"x46 7/8"

Combo B
42,5x119 cm
16 7/8"x46 7/8"

20 mm

20 mm



Boost Icor Combo A+B
Bone
Outdoor Sensitech



Boost Icor Combo A+B
Dust
Outdoor Sensitech



Boost Icor Combo A+B
Dune
Outdoor Sensitech

Boost Icor Combo A+B
Oyster
Outdoor Sensitech



INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER

PORCELAIN TILES SURFACE RANGE
WALL TILES SURFACE RANGE
DECORS RANGE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Porcelain Tile Decors **Boost Stone**

4,8x4,8 cm - $1^{7}/_{8}$"x$1^{7}/_{8}$"

Boost Stone White
Mosaico Matte
30x30 cm - $11^{3}/_{4}$"x$11^{3}/_{4}$"

Boost Stone Pearl
Mosaico Matte
30x30 cm - $11^{3}/_{4}$"x$11^{3}/_{4}$"

Boost Stone Grey
Mosaico Matte
30x30 cm - $11^{3}/_{4}$"x$11^{3}/_{4}$"

Boost Stone Smoke
Mosaico Matte
30x30 cm - $11^{3}/_{4}$"x$11^{3}/_{4}$"

Boost Stone Tarmac
Mosaico Matte
30x30 cm - $11^{3}/_{4}$"x$11^{3}/_{4}$"



Boost Stone Ivory
Mosaico Matte
30x30 cm - $11^{3}/_{4}$"x$11^{3}/_{4}$"

Boost Stone Cream
Mosaico Matte
30x30 cm - $11^{3}/_{4}$"x$11^{3}/_{4}$"

Boost Stone Clay
Mosaico Matte
30x30 cm - $11^{3}/_{4}$"x$11^{3}/_{4}$"

Boost Stone Taupe
Mosaico Matte
30x30 cm - $11^{3}/_{4}$"x$11^{3}/_{4}$"

Boost Stone Tobacco
Mosaico Matte
30x30 cm - $11^{3}/_{4}$"x$11^{3}/_{4}$"

A 9,7x3,8 cm - $3^{7}/_{8}$"x$1^{1}/_{2}$"
B 4,8x3,8 cm - $1^{7}/_{8}$"x$1^{1}/_{2}$"
C 4,6x3,6 cm - $1^{3}/_{4}$" x$1^{1}/_{8}$"

Boost Stone White
Mosaico Hex
25x28,5 cm - $9^{7}/_{8}$"x$11^{1}/_{4}$"

Boost Stone Pearl
Mosaico Hex
25x28,5 cm - $9^{7}/_{8}$"x$11^{1}/_{4}$"

Boost Stone Grey
Mosaico Hex
25x28,5 cm - $9^{7}/_{8}$"x$11^{1}/_{4}$"

Boost Stone Smoke
Mosaico Hex
25x28,5 cm - $9^{7}/_{8}$"x$11^{1}/_{4}$"

Boost Stone Tarmac
Mosaico Hex
25x28,5 cm - $9^{7}/_{8}$"x$11^{1}/_{4}$"

Boost Stone Ivory
Mosaico Hex
25x28,5 cm - $9^{7}/_{8}$"x$11^{1}/_{4}$"

Boost Stone Cream
Mosaico Hex
25x28,5 cm - $9^{7}/_{8}$"x$11^{1}/_{4}$"

Boost Stone Clay
Mosaico Hex
25x28,5 cm - $9^{7}/_{8}$"x$11^{1}/_{4}$"

Boost Stone Taupe
Mosaico Hex
25x28,5 cm - $9^{7}/_{8}$"x$11^{1}/_{4}$"

Boost Stone Tobacco
Mosaico Hex
25x28,5 cm - $9^{7}/_{8}$"x$11^{1}/_{4}$"



A 29,8 cm - $11^{3}/_{4}$"
a 14,6 cm - $5^{3}/_{4}$"
b 14,8 cm - $5^{7}/_{8}$"
c 20,8 cm - $8^{1}/_{4}$"
D 29,8 cm - $11^{3}/_{4}$"
d 29,5 cm - $11^{5}/_{8}$"

Boost Stone
Mosaico Cube Warm
30x30 cm - $11^{3}/_{4}$"x$11^{3}/_{4}$"

Boost Stone
Mosaico Cube Cold
30x30 cm - $11^{3}/_{4}$"x$11^{3}/_{4}$"

Warm > Boost Stone Cream, Boost Stone Clay, Boost Stone Ivory, Boost Pro Ivory
Cold > Boost Stone Smoke, Boost Stone Grey, Boost Stone Pearl, Boost Pearl

A 3,9x60 cm - $1^{1}/_{2}$"x$23^{5}/_{8}$"
B 1,7x60 cm - $^{5}/_{8}$"x$23^{5}/_{8}$"
C 4,6x60 cm - $1^{3}/_{4}$"x$23^{5}/_{8}$"

Boost Stone White
Mosaico Brick
30x60 cm - $11^{3}/_{4}$"x$23^{5}/_{8}$"

Boost Stone Pearl
Mosaico Brick
30x60 cm - $11^{3}/_{4}$"x$23^{5}/_{8}$"

Boost Stone Grey
Mosaico Brick
30x60 cm - $11^{3}/_{4}$"x$23^{5}/_{8}$"

Boost Stone Smoke
Mosaico Brick
30x60 cm - $11^{3}/_{4}$"x$23^{5}/_{8}$"

Boost Stone Tarmac
Mosaico Brick
30x60 cm - $11^{3}/_{4}$"x$23^{5}/_{8}$"

Boost Stone Ivory
Mosaico Brick
30x60 cm - $11^{3}/_{4}$"x$23^{5}/_{8}$"

Boost Stone Cream
Mosaico Brick
30x60 cm - $11^{3}/_{4}$"x$23^{5}/_{8}$"

Boost Stone Clay
Mosaico Brick
30x60 cm - $11^{3}/_{4}$"x$23^{5}/_{8}$"

Boost Stone Taupe
Mosaico Brick
30x60 cm - $11^{3}/_{4}$"x$23^{5}/_{8}$"

Boost Stone Tobacco
Mosaico Brick
30x60 cm - $11^{3}/_{4}$"x$23^{5}/_{8}$"



Porcelain Tile Decors **Boost Mix**

4,8x4,8 cm - 1$^{1}/_{8}$"x1$^{1}/_{8}$"

Boost Mix Ivory Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"

Boost Mix Pearl Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"

Boost Mix Smoke Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"





A 6,4x29 cm - 2$^{1}/_{2}$" x 11$^{3}/_{8}$"
B 6,4x29,8 cm - 2$^{1}/_{2}$" x 11$^{3}/_{4}$"

Boost Mix Ivory Mosaico Slide
29x32,6 cm - 11$^{3}/_{8}$"x12$^{3}/_{4}$"

Boost Mix Pearl Mosaico Slide
29x32,6 cm - 11$^{3}/_{8}$"x12$^{3}/_{4}$"

Boost Mix Smoke Mosaico Slide
29x32,6 cm - 11$^{3}/_{8}$"x12$^{3}/_{4}$"



INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER

PORCELAIN TILES SURFACE RANGE
WALL TILES SURFACE RANGE
DECORS RANGE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Porcelain Tile Decors **Boost Mineral**



A 120 cm - 18$^{1}/_{4}$"
B 60 cm - 12$^{5}/_{8}$"

Boost Mineral White
Venus Lux [1]
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"

Boost Mineral Pearl
Venus Lux [1]
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"

Boost Mineral Grey
Domino Lux [1]
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"

Boost Mineral Smoke
Domino Lux [1]
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"



Boost Mineral Tarmac
Domino Lux [1]
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"



[1] **Engraved mosaic. For best results it is advisable to completely plaster the engravings. Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Mosaico inciso, per risultato ottimale si consiglia di stuccare completamente le incisioni. Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Mosaïque gravée; pour de meilleurs résultats, il est recommandé de remplir complètement les gravures. Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Graviertes Mosaik; für ein optimales Resultat sollten die Gravuren vollständig verspachtelt werden. Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Mosaico grabado, para obtener los mejores resultados se recomienda enmasillar el grabado en su totalidad. Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Высеченная мозаика. Для оптимального результата рекомендуется полностью заделать углубления затиркой. Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

4,75x4,75 cm - 1$^{9}/_{8}$"x1$^{9}/_{8}$"

Boost Mineral White
Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"

Boost Mineral Pearl
Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"

Boost Mineral Grey
Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"

Boost Mineral Smoke
Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"

Boost Mineral Tarmac
Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"



A 34,951 cm - 18$^{1}/_{4}$"
a 1,5 cm - 18$^{1}/_{4}$"
B 29,21 cm - 12$^{5}/_{8}$"
b 9,6 cm - 7$^{1}/_{2}$"

Boost Mineral White
Domino Lux [2]
35x29,2 cm - 13$^{3}/_{4}$"x11$^{1}/_{2}$"

Boost Mineral Pearl
Domino Lux [2]
35x29,2 cm - 13$^{3}/_{4}$"x11$^{1}/_{2}$"

Boost Mineral Grey
Domino Lux [2]
35x29,2 cm - 13$^{3}/_{4}$"x11$^{1}/_{2}$"

Boost Mineral Smoke
Domino Lux [2]
35x29,2 cm - 13$^{3}/_{4}$"x11$^{1}/_{2}$"

Boost Mineral Tarmac
Domino Lux [2]
35x29,2 cm - 13$^{3}/_{4}$"x11$^{1}/_{2}$"

[2] **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER

PORCELAIN TILES SURFACE RANGE
WALL TILES SURFACE RANGE
DECORS RANGE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Range Summary

- SENSITECH
- VELVETECH
- BOOST WORLD RANGE SUMMARY

Technical Specifications

- PORCELAIN TILES TECHNICAL FEATURES
- WALL TILES TECHNICAL FEATURES
- ATLAS PLAN TECHNICAL FEATURES

INDEX
OVERVIEW
IMAGE GALLERY
PRODUCT FINDER
RANGE SUMMARY
SENSITECH
VELVETECH
BOOST WORLD
RANGE SUMMARY
TECHNICAL SPECIFICATIONS
PORCELAIN TILES
TECHNICAL FEATURES
WALL TILES
TECHNICAL FEATURES
ATLAS PLAN
TECHNICAL FEATURES

Sensitech



Traditional anti-slip surface



The innovative Sensitech Surface

Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories, patented in Europe, in Russia and the United States. The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.

Sensitech è la superficie ad alto coefficiente tecnologico per gli ambienti interni ed esterni realizzata dai Laboratori Atlas Concorde, brevettata in Europa, in Russia e negli stati Uniti. La superficie coniuga elevate prestazioni di resistenza allo scivolamento ad una maggiore morbidezza tattile. Con Sensitech il significato di superficie si evolve e assume un tocco rassicurante, piacevole e pratico, rendendo gli spazi architettonici sempre più confortevoli e appaganti.

Certifications

Company certifications / Certificazioni aziendali

QUALITY SYSTEM CERTIFICATION DNV ISO 9001 · ENVIRONMENTAL SYSTEM CERTIFICATION DNV ISO 14001 · SAFETY SYSTEM CERTIFICATION DNV ISO 45001

Product certifications / Certificazioni di prodotto

ISO 17889-1 · UL GREENGUARD GOLD

Product declarations / Dichiarazioni di prodotto

EPD · PEF · FDES VÉRIFIÉE inies · HPD Health Product Declaration · Declare.

Certification for buildings / Rating dell'edificio

WELL v2

Atlas Concorde porcelain tiles and single-fired products can contribute towards earning pointsneeded for LEED® certification.

Certifications for export to international markets*

CE · CCC · SQM SAUDI ARABIA · SGS INDONESIA

Ratings and memberships

SILVER | Top 15% ecovadis Sustainability Rating FEB 2025 · Sedex Member

QB UPEC (1) (2) (3) · cstb.fr

QB UPEC PORCELAIN TILES

BOOST
BOOST BALANCE
BOOST EXPRESSION
BOOST ICOR
BOOST MINERAL
BOOST NATURAL
BOOST NATURAL PRO
BOOST MIX
BOOST PRO
BOOST STONE

QB UPEC F+ OUTDOOR ≥ 20 MM

BOOST
BOOST BALANCE
BOOST MINERAL
BOOST NATURAL
BOOST PRO
BOOST STONE

CLASSIFICATION UPEC EN COURS DE CERTIFICATION

BOOST VISION

CLASSIFICATION UPEC F+ EN COURS DE CERTIFICATION

BOOST ICOR
BOOST EXPRESSION
BOOST VISION

*** Valid certification for porcelain tile and wall tiles.** - Certificazione valida per prodotti in gres porcellanato e rivestimenti.

*** Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country.** - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistán, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

(1) Classificazione UPEC aggiornata al – Classement UPEC mis à jour au: 2025
(2) Si consiglia la consultazione della pagina – On vous conseille de vous connecter à: https://database.cstb.fr/holderdetails?Uid=ETB-2094&AppRef=QB32
(3) Per ulteriori informazioni scrivere a – Pour tous renseignements complémentaires merci d'ecrire à: france@atlasconcorde.it

INDEX
OVERVIEW
IMAGE GALLERY
PRODUCT FINDER
RANGE SUMMARY
SENSITECH
VELVETECH
BOOST WORLD
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Velvetech

The advanced technology with filed pending in Europe, inspired by the art of polishing surfaces for an impeccable smooth touch

USER GUIDE

DISCOVER MORE

PRECAUTIONS VELVETECH

SURFACE FEATURES

- Velvet is a delicate surface that requires proper care.
- Velvet is a surface that features irregularities, streaks, and superficial halos, particularly visible under oblique or reflected light.
- The Velvet finish may show noticeable marks, caused primarily by contact with metal objects (e.g. metal legs of chairs and furniture) and other abrasive materials. To best protect and preserve it, it is essential to follow the cleaning and maintenance guidelines

CARATTERISTICHE DELLA SUPERFICIE

- Velvet è una superficie delicata che merita attenzione.
- Velvet è una superficie che presenta irregolarità, screziature e alonature superficiali, visibili soprattutto alla luce radente.
- La finitura Velvet può mostrare segni particolarmente evidenti sulla superficie, causati soprattutto dal contatto con oggetti metallici (es. piedini in metallo di sedie e mobili) e altri materiali abrasivi. Per preservarla al meglio, è fondamentale seguire le indicazioni di pulizia e manutenzione.

DAILY CLEANING & CARE

- Do not use detergents with waxing, polishing, or shining properties.
- Do not use steel wood pads or excessively abrasive materials.
- Clean with a damp cloth and diluted neutral detergent, or use a scrubber dryer with soft nylon brushes for large areas, following the manufacturer's instructions.
- Periodic cleaning with a melamine brush and diluted alkaline detergent is recommended, following the manufacturer's instructions.
- In humid environments or those with organic residues (e.g., limescale or staining agents), use an acid-based detergent and rinse thoroughly, following the manufacturer's instructions.
- In spaces with outdoor exposure, use mats or dirt-trapping devices to retain moisture and dust.
- Apply protective pads to movable elements in contact with the surface (e.g., furniture and chair legs, etc.).
- During installation, use leveling spacers with anti-scratch pads.

PULIZIA E CURA QUOTIDIANA

- Non utilizzare detergenti con proprietà ceranti, brillantanti e lucidanti.
- Non utilizzare pagliette in metallo o eccessivamente abrasive.
- Pulire con panno umido e detergente neutro in soluzione diluita o lavasciuga con spazzole in nylon morbide per grandi superfici, seguendo le istruzioni del produttore.
- È consigliato effettuare periodicamente una pulizia con spazzola melaminica con detergente alacalino diluito, seguendo le istruzioni del produttore.
- In ambienti umidi o con residui organici (esempio: calcare o agenti macchianti) utilizzare un detergente a base acida, seguendo le istruzioni del produttore, ed eseguire un abbondante risciacquo.
- In ambienti a contatto con l'esterno, utilizzare tappeti o dispositivi assorbi-sporco per trattenere umidità e polvere.
- Applicare protezioni agli elementi mobili a contatto con la superficie (Esempio: piedini di arredi di mobili, sedie etc.).
- Utilizzare distanziatori livellanti con pedane anti-graffio durante la posa.

INDICATIONS OF USE

- Recommended for low-traffic flooring, preferably for residential use (e.g., bedrooms, living rooms, studies, private kitchens, private bathrooms, etc.).
- Not recommended for flooring where anti-slip performance is required.
- Recommended for flooring with a coefficient of friction (DCOF) >0.42 Wet (ANSI A326.3).
- Please note that the indication for use is purely indicative, and it is always the designer's responsibility to assess the suitability of the product for specific use conditions and local regulations, taking into account the variables of the intended environment.

INDICAZIONI D'USO

- Consigliata per pavimenti a basso traffico, preferibilmente ad utilizzo residenziale (Esempio: Camere da letto, soggiorni, studi, cucine private, bagni privati, etc.).
- Non consigliata per pavimenti dove è richiesta resistenza antiscivolo.
- Consigliata per pavimenti con grado di coefficiente di attrito di DCOF (ANSI A326.3) >0,42Wet.
- Si rammenta che l'indicazione d'uso è da ritenersi puramente indicativa e che è sempre compito del progettista valutare l'idoneità del prodotto alle condizioni specifiche di utilizzo e alle norme locali in funzione delle variabili che si possono verificare nell'ambiente di destinazione.

CLEANING & MAINTENANCE AFTER LAYING

- Always perform a preliminary cleaning test, regardless of the grout used (cementitious grout, class CG-EN 13888 in contrast or epoxy grout, class RG-EN 13888).
- For cementitious grout, use a buffered acid cleaner and rinse thoroughly, following the manufacturer's instructions.
- For epoxy grouts, remove residues before they harden and use specific cleaners, following the manufacturer's instructions.

PULIZIA E MANUTENZIONE DI FINE CANTIERE

- Eseguire sempre una prova di pulizia preliminare, qualsiasi sia lo stucco utilizzato (stucco cementizio classe CG-EN 13888 a contrasto o stucco epossidico classe RG-EN 13888).
- In caso di stucchi cementizi, utilizzare un detergente acido tamponato poi risciacquare abbondantemente, seguendo le istruzioni del produttore.
- In caso di stucchi epossidici, rimuovere i residui prima che si induriscano e utilizzare pulitori specifici, seguendo le istruzioni del produttore.

INDEX
OVERVIEW
IMAGE GALLERY
PRODUCT FINDER
RANGE SUMMARY
SENSITECH
VELVETECH
BOOST WORLD
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOSTWORLD

Range Summary

		BOOST					BOOST PRO					BOOST NATURAL						
		White	Pearl	Grey	Smoke	Tarmac	Ivory	Cream	Clay	Taupe	Tobacco	Kaolin	Ash	Ecru	Umber	Coal	Coral	Cobalt
Floor / Wall / Bathroom furniture																		
160x320* cm - 63"x126"	≠ 6 mm	Hammered		Hammered	Hammered	Hammered			Matte	Matte		Hammered						
120x278 cm - 47 1/4"x109 1/2"	≠ 6 mm	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte
120x240 cm - 47 1/4"x94 1/2"	≠ 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech		Matte Sensitech							
120x120 cm - 47 1/4"x47 1/4"	≠ 6 mm	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte							
	≠ 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
75x150 cm - 29 1/2"x59"	≠ 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech							
60x120 cm - 23 5/8"x47 1/4"	≠ 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
80x80 cm - 31 1/2"x31 1/2"	≠ 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech		
60x60 cm - 23 5/8"x23 5/8"	≠ 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech		
30x60 cm - 11 3/4"x23 5/8"	≠ 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech		
Outdoor																		
120x120 cm - 47 1/4"x47 1/4"	≠ 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech		
60x120 cm - 23 5/8"x47 1/4"	≠ 9 mm											Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech		
120x120 cm - 47 1/4"x47 1/4"	≠ 20 mm	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech				
60x120 cm - 23 5/8"x47 1/4"	≠ 20 mm	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech							
80x80 cm - 31 1/2"x31 1/2"	≠ 20 mm	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech							
60x60 cm - 23 5/8"x23 5/8"	≠ 20 mm	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech				
Slabs for countertops and furniture																		
162x324* cm - 63 3/4"x127 1/2" > Non rectified - non rettificato *Atlas Plan	≠ 12 mm	Hammered		Hammered	Hammered	Hammered								Hammered				
	≠ 20 mm																	

Sensitech

		BOOST						BOOST PRO					BOOST NATURAL		
		White	Pearl	Grey	Smoke	Sage	Red	Ivory	Cream	Clay	Mustard	Powder Blue	Kaolin	Ash	Ecru
Wall															
40x80 cm - 15 3/4"x31 1/2"	≠ 8,5 mm	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte			
40x80 cm - 15 3/4"x31 1/2" **3D Urban**	≠ 10 mm	Matte	Matte	Matte				Matte		Matte		Matte			
50x120 cm - 19 5/8"x47 1/4"	≠ 8,5 mm												Matte	Matte	Matte
50x120 cm - 19 5/8"x47 1/4" **3D Brushed**	≠ 8,5 mm												Matte	Matte	Matte
50x120 cm - 19 5/8"x47 1/4" **3D Texture**	≠ 8,5 mm												Matte	Matte	Matte
50x120 cm - 19 5/8"x47 1/4" **3D Wave**	≠ 8,5 mm												Matte	Matte	Matte

INDEX
OVERVIEW
IMAGE GALLERY
PRODUCT FINDER
RANGE SUMMARY
SENSITECH
VELVETECH
BOOST WORLD
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOSTWORLD

Range Summary

		BOOST NATURAL PRO					BOOST BALANCE										BOOST COLOR						
		Sand	Oat	Salt	Cinder	Dove	Pure	Ivory	Cream	Ash	Moon	White	Pearl	Grey	Smoke	Tarmac	Pure	Dove	Mauve	Salix	Jade	Teal	Navy
Floor **Wall** **Bathroom furniture**																							
160x320* cm - 63"x126"	≑ 6 mm																						
120x278 cm - 47 1/4"x109 1/2"	≑ 6 mm	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte			Matte	Matte	Matte	Matte	
120x278 cm - 47 1/4"x109 1/2" **Frog**	≑ 6 mm																Matte						
120x120 cm - 47 1/4"x47 1/4"	≑ 9 mm	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech							
60x120 cm - 23 5/8"x47 1/4"	≑ 9 mm	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech							
80x80 cm - 31 1/2"x31 1/2"	≑ 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech							
60x60 cm - 23 5/8"x23 5/8"	≑ 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech							
30x60 cm - 11 3/4"x23 5/8"	≑ 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech							
Outdoor																							
120x120 cm - 47 1/4"x47 1/4"	≑ 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech							
60x120 cm - 23 5/8"x47 1/4"	≑ 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech																	
120x120 cm - 47 1/4"x47 1/4"	≑ 20 mm		Outdoor Sensitech		Outdoor Sensitech					Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech									
60x120 cm - 23 5/8"x47 1/4"	≑ 20 mm		Outdoor Sensitech		Outdoor Sensitech					Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech									
60x60 cm - 23 5/8"x23 5/8"	≑ 20 mm		Outdoor Sensitech		Outdoor Sensitech					Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech									
Slabs for countertops and furniture																							
162x324* cm - 63 3/4"x127 1/2" > Non rectified - non rettificato *Atlas Plan	≑ 12 mm	Hammered								Matte													

Sensitech Velvetech

		BOOST NATURAL PRO						BOOST COLOR													
		Oat	Salt	Cinder	Coffee	Lava	Skin	Pure	Linen	Moon	Dove	Pebble	Mauve	Cream	Sun	Salix	Mint	Jade	Iris	Teal	Navy
Wall																					
50x120 cm - 19 5/8"x47 1/4"	≑ 8,5 mm	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte
50x120 cm - 19 5/8"x47 1/4" **Frog**	≑ 8,5 mm							Matte			Matte										Matte
50x120 cm - 19 5/8"x47 1/4" **3D Rice**	≑ 8,5 mm	Matte	Matte	Matte																	
50x120 cm - 19 5/8"x47 1/4" **3D Wave**	≑ 8,5 mm	Matte	Matte	Matte			Matte														
50x120 cm - 19 5/8"x47 1/4" **3D Craft**	≑ 8,5 mm	Matte	Matte	Matte																	
50x120 cm - 19 5/8"x47 1/4" **Motion**	≑ 8,5 mm	Matte			Matte																

INDEX
OVERVIEW
IMAGE GALLERY
PRODUCT FINDER
RANGE SUMMARY
SENSITECH
VELVETECH
BOOST WORLD
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOSTWORLD

Range Summary

		BOOST EXPRESSION							BOOST ICOR						BOOST VISION - Concrete Look				BOOST VISION - Metal Look			
		Glow	Shell	Camel	Tan	Ice	Haze	Carbon	Bone	Dust	Dune	Crete	Oyster	Sideral	Glow	Camel	Ash	Haze	Grey	Corten	Brass	Steel
Floor / Wall / Bathroom furniture																						
160x320* cm - 63"x126"	≠ 6 mm								Hammered		Hammered				Hammered	Hammered						
120x278 cm - 47 1/4"x109 1/2"	≠ 6 mm	Matte	Matte	Matte	Matte	Matte	Matte		Matte	Matte	Matte		Matte		Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte
120x278 cm - 47 1/4"x109 1/2" **Duo**	≠ 6 mm			Matte [1]			Matte [2]															
120x240 cm - 47 1/4"x94 1/2"	≠ 9 mm								Matte Sensitech	Matte Sensitech	Matte Sensitech		Matte Sensitech									
120x120 cm - 47 1/4"x47 1/4"	≠ 6 mm																					
	≠ 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech			
75x150 cm - 29 1/2"x59"	≠ 9 mm								Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech								
60x120 cm - 23 5/8"x47 1/4"	≠ 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
60x120 cm - 23 5/8"x47 1/4" **Railway****	≠ 9 mm								Matte Sensitech													
80x80 cm - 31 1/2"x31 1/2"	≠ 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech			
60x60 cm - 23 5/8"x23 5/8"	≠ 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech			
30x60 cm - 11 3/4"x23 5/8"	≠ 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech			
Outdoor																						
120x120 cm - 47 1/4"x47 1/4"	≠ 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech								Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech			
60x120 cm - 23 5/8"x47 1/4"	≠ 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech		Grip Sensitech	Grip Sensitech	Grip Sensitech		Grip Sensitech									
60x120 cm - 23 5/8"x47 1/4" **Railway****	≠ 9 mm								Grip Sensitech													
80x80 cm - 31 1/2"x31 1/2"	≠ 9 mm														Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech			
30x60 cm - 11 3/4"x23 5/8"	≠ 9 mm								Grip Sensitech	Grip Sensitech	Grip Sensitech		Grip Sensitech									
120x120 cm - 47 1/4"x47 1/4"	≠ 20 mm		Outdoor Sensitech			Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech				Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech			
60x120 cm - 23 5/8"x47 1/4"	≠ 20 mm		Outdoor Sensitech			Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech				Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech			
80x80 cm - 31 1/2"x31 1/2"	≠ 20 mm		Outdoor Sensitech			Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech									
60x60 cm - 23 5/8"x23 5/8"	≠ 20 mm		Outdoor Sensitech			Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech				Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech			
Slabs for countertops and furniture																						
162x324* cm - 63 3/4"x127 1/2" > Non rectified - non rettificato *Atlas Plan	≠ 12 mm								Hammered		Hammered				Hammered	Hammered						

Sensitech

** Graphic decor. Misalignmants in the continuity between different patterns is normal for this type of product.
Decoro grafico. Eventuali disallinesmenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto.

[1] **Duo Camel presents a combination of colors from this collection - Camel and Glow.** Duo Camel abbina i colori di collezione Camel e Glow.
[2] **Duo Haze presents a combination of colors from this collection - Haze and Ice.** Duo Haze abbina i colori di collezione Haze e Ice.

		BOOST EXPRESSION					
		Glow	Shell	Ice	Sienna	Olive	Cyan
Wall							
50x120 cm - 19 5/8"x47 1/4"	≠ 8,5 mm	Matte	Matte	Matte	Matte	Matte	Matte
50x120 cm - 19 5/8"x47 1/4" **Grain**	≠ 10 mm	Matte	Matte				
50x120 cm - 19 5/8"x47 1/4" **3D Flute**	≠ 10 mm	Matte	Matte	Matte			
50x120 cm - 19 5/8"x47 1/4" **3D Loop**	≠ 10 mm	Matte	Matte	Matte			
50x120 cm - 19 5/8"x47 1/4" **Life**	≠ 8,5 mm		Matte		Matte	Matte	

		BOOST ICOR	
		Bone	Dust
Wall			
50x120 cm - 19 5/8"x47 1/4" **Field**	≠ 8,5 mm	Matte	Matte
50x120 cm - 19 5/8"x47 1/4" **3D Wheat**	≠ 10 mm	Matte	Matte
50x120 cm - 19 5/8"x47 1/4" **3D Masonry**	≠ 10 mm	Matte	Matte

		BOOST VISION	
		Glow	Camel
Wall			
40x80 cm - 15 3/4"x31 1/2" **Field**	≠ 8,5 mm	Matte	Matte
40x80 cm - 15 3/4"x31 1/2" **3D Veil**	≠ 10 mm	Matte	Matte
50x120 cm - 19 5/8"x47 1/4" **Field**	≠ 8,5 mm	Matte	Matte
50x120 cm - 19 5/8"x47 1/4" **3D Qube**	≠ 10 mm	Matte	Matte

INDEX
OVERVIEW
IMAGE GALLERY
PRODUCT FINDER
RANGE SUMMARY
SENSITECH
VELVETECH
BOOST WORLD
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOSTWORLD

Range Summary

		BOOST STONE										BOOST MIX			BOOST MINERAL				
		White	Pearl	Grey	Smoke	Tarmac	Ivory	Cream	Clay	Taupe	Tobacco	Ivory	Pearl	Smoke	White	Pearl	Grey	Smoke	Tarmac
Floor / Wall / Bathroom furniture																			
160x320* cm - 63"x126"	≑ 6 mm						Hammered										Hammered		
120x278 cm - 47 1/4"x109 1/2"	≑ 6 mm	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte *	Matte *	Matte *	Matte *	Matte *
120x240 cm - 47 1/4"x94 1/2"	≑ 9 mm														Matte Sensitech *	Matte Sensitech *	Matte Sensitech *	Matte Sensitech *	Matte Sensitech *
120x120 cm - 47 1/4"x47 1/4"	≑ 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
75x150 cm - 29 1/2"x59"	≑ 9 mm														Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
60x120 cm - 23 5/8"x47 1/4"	≑ 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
80x80 cm - 31 1/2"x31 1/2"	≑ 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech								
60x60 cm - 23 5/8"x23 5/8"	≑ 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
30x60 cm - 11 3/4"x23 5/8"	≑ 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
Outdoor																			
120x120 cm - 47 1/4"x47 1/4"	≑ 9 mm																		
60x120 cm - 23 5/8"x47 1/4"	≑ 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech				Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech
60x60 cm - 23 5/8"x23 5/8"	≑ 9 mm														Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech
30x60 cm - 11 3/4"x23 5/8"	≑ 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech					
120x120 cm - 47 1/4"x47 1/4"	≑ 20 mm	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech			Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech
60x120 cm - 23 5/8"x47 1/4"	≑ 20 mm	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech			Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech
60x90 cm - 23 5/8"x35 3/8"	≑ 20 mm														Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech
60x60 cm - 23 5/8"x23 5/8"	≑ 20 mm	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech			Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech
Slabs for countertops and furniture																			
162x324* cm - 63 3/4"x127 1/2" > Non rectified - non rettificato *Atlas Plan	≑ 12 mm						Hammered										Hammered		

Sensitech

* Elegant surface

INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER

RANGE SUMMARY
SENSITECH
VELVETECH
BOOST WORLD
RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Porcelain tiles technical features

				Requirements for nominal size N Requisiti per dimensione nominale N			BOOST					
				7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte ✣ 6 mm	Matte Sensitech ✣ 9 mm	Matte Sensitech ✣ 6 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm	
				(mm)	(%)	(mm)						
Regularity characteristics		**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
		Thickness Spessore		± 0,5 (**)	± 5 (**)	± 0,5 (**)	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
		Straightness of sides Rettilineità degli spigoli		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
		Surface flatness Planarità		c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect. e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect. w. ± 0,8 Non-rect. w. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect. e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect. w. ± 0,5 Non-rect. w. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect. e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect. w. ± 2,0 Non-rect. w. ± 1,8 Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
Structural characteristics		**Water absorption (in % by mass)** Massa d'acqua assorbita (come % della massa)	ISO 10545-3	**E, ≤ 0,5% Individual max 0,6%** E, ≤ 0,5% Valore max singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	
			ASTM C373-18	**Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%**			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	
Bulk mechanical characteristics		**Breaking strength** Sforzo di rottura	ISO 10545-4	**S ≥ 700N (for thickness < 7,5 mm** - per spessore < 7,5 mm) **S ≥ 1300N (for thickness ≥ 7,5 mm** - per spessore ≥ 7,5 mm)			S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 10000 N	
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²			R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	
		Bending strenght and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	-	≥ T11 120x120 60x60 / ≥ U11 80x80 / ≥U4 60x120	
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	**Declared value** Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	
Surface mechanical characteristics		**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³			≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	
Thermal and hygrometric characteristics		**Coefficient of thermal linear expansion** Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato			≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	
		Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	**Declared value** Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	
		Frost resistance Resistenza al gelo	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	
Physical properties		**Bond strength/adhesion for improved cementitious adhesives** Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	**Declared value** Valore dichiarato			≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	
		Reaction to fire Reazione al fuoco	-	**Class A1 or $A1_{fl}$** Classe A1 oppure $A1_{fl}$			A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	
Chemical characteristics		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B			A	A	A	A	A	
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			LA	LA	LA	LA	LA	
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			HA	HA	HA	HA	HA	
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	**Declared Class** Classe dichiarata			5	5	5	5	5	
Safety characteristics (1)(2)		**Shod Ramp Test** Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	**Declared value** Valore dichiarato			R9	R10	R10	R11	R11	
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	**Declared value** Valore dichiarato			A	B	B	C	C	
		Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	**PTV ≥ 36 classifies the surface as "low slip risk"**			(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	
			AS 4586	**Declared Classification of the new pedestrian surface materials according to the Pendulum Test**			(●●)	Class P3	Class P3	Class P4	Class P4	
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	**Declared value** Valore dichiarato			(●●●)	Class C2	Class C2	Class C3	Class C3	
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326,3	-			wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	

BOOST BALANCE						BOOST COLOR	BOOST EXPRESSION				BOOST ICOR				
Matte ✣ 6 mm	Matte Sensitech ✣ 6 mm	Matte Sensitech ✣ 9 mm	Velvet Velvetech ✣ 9 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm	Matte ✣ 6 mm	Matte ✣ 6 mm	Matte Sensitech ✣ 9 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm	Matte ✣ 6 mm	Matte Sensitech ✣ 9 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm	
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	
≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	
S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	
R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	
-	-	-	-	-	≥ T11 120x120 60x60 / ≥ U4 60x120	-	-	-	-	≥ T11 120x120 80x80 60x60 / ≥ U4 60x120	-	-	-	≥ T11 120x120 80x80 60x60 / ≥ U4 60x120 / ≥ U7 30x60	
≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	
≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	
≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	
≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	
≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	
A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	
HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	
5	5	5	≥ 3	5	5	5	5	5	5	5	5	5	5	5	
R9	R10	R10	N.C.	R11	R11	R9	R9	R10	R11	R11	R9	R10	R11	R11	
A	B	B	0	C	C	A	A	B	C	C	A	B	C	C	
(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	(●)	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	
(●●)	Class P3	Class P3	-	Class P4	Class P4	(●●)	(●●)	Class P3	Class P4	Class P4	(●●)	Class P3	Class P4	Class P4	
(●●●)	Class C2	Class C2	-	Class C3	Class C3	(●●●)	(●●●)	Class C2	Class C3	Class C3	(●●●)	Class C2	Class C3	Class C3	
> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	
wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	dry DCOF ≥ 0,42	wet DCOF ≥ 0,42	wet DCOF ≥ 0,42	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	

Technical feature - Caratteristiche tecniche - Caractèristiques techniques - Technische Daten - Características técnicas - Технические характеристики

(●), PTV ≥ 36 Wet on demand - su richiesta **(●●), P3 on demand** - su richiesta **(●●●), C2 on demand** - su richiesta

INDEX
OVERVIEW
IMAGE GALLERY
PRODUCT FINDER
RANGE SUMMARY
TECHNICAL SPECIFICATIONS
PORCELAIN TILES TECHNICAL FEATURES
WALL TILES TECHNICAL FEATURES
ATLAS PLAN TECHNICAL FEATURES

Porcelain tiles technical features

				Requirements for nominal size N Requisiti per dimensione nominale N			BOOST MINERAL				
				7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte ✣ 6 mm	Matte Sensitech ✣ 6 mm	Matte Sensitech ✣ 9 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm
				(mm)	(%)	(mm)					
Regularity characteristics		**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Thickness Spessore		± 0,5 (**)	± 5 (**)	± 0,5 (**)	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Straightness of sides Rettilineità degli spigoli		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Surface flatness Planarità		c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Not applicable to "strong" structures** Non applicabile a strutturati forti		
				e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.					
				w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.					
Structural characteristics		**Water absorption (in % by mass)** Massa d'acqua assorbita (come % della massa)	ISO 10545-3	**E_v ≤ 0,5% Individual max 0,6%** E_v ≤ 0,5% Valore max singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
			ASTM C373-18	**Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%**			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
Bulk mechanical characteristics		**Breaking strength** Sforzo di rottura	ISO 10545-4	**S ≥ 700N (for thickness < 7,5 mm** - per spessore < 7,5 mm) **S ≥ 1300N (for thickness ≥ 7,5 mm** - per spessore ≥ 7,5 mm)			S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²			R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²
		Bending strenght and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	-	≥ T11 120x120 60x60 / ≥ U4 60x120 60x90
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	**Declared value** Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
Surface mechanical characteristics		**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³			≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
Thermal and hygrometric characteristics		**Coefficient of thermal linear expansion** Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato			≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
		Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	**Declared value** Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
		Frost resistance Resistenza al gelo	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
Physical properties		**Bond strength/adhesion for improved cementitious adhesives** Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	**Declared value** Valore dichiarato			≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
		Reaction to fire Reazione al fuoco	-	**Class A1 or $A1_{fl}$** Classe A1 oppure $A1_{fl}$			A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$
Chemical characteristics		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B			A	A	A	A	A
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			LA	LA	LA	LA	LA
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			HA	HA	HA	HA	HA
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	**Declared Class** Classe dichiarata			5	5	5	5	5
Safety characteristics (1)(2)		**Shod Ramp Test** Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	**Declared value** Valore dichiarato			R9	R10	R10	R11	R11
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	**Declared value** Valore dichiarato			A	B	B	C	C
		Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	**PTV ≥ 36 classifies the surface as "low slip risk"**			(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
			AS 4586	**Declared Classification of the new pedestrian surface materials according to the Pendulum Test**			(●●)	Class P3	Class P3	Class P4	Class P4
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	**Declared value** Valore dichiarato			(●●●)	Class C2	Class C2	Class C3	Class C3
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326.3	-			wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55

	BOOST MIX				BOOST NATURAL				BOOST NATURAL PRO					BOOST PRO				
	Matte ✣ 6 mm	Matte Sensitech ✣ 9 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm	Matte ✣ 6 mm (1)	Matte Sensitech ✣ 9 mm (1)	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm	Matte ✣ 6 mm	Matte Sensitech ✣ 9 mm	Velvet Velvetech ✣ 9 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm	Matte ✣ 6 mm	Matte Sensitech ✣ 9 mm	Matte Sensitech ✣ 6 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm
Regularity characteristics	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
	Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
	Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
	Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
	Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Structural characteristics	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
Bulk mechanical characteristics	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S. ≥ 10000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 10000 N
	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²
	-	-	-	≥ T11 120x120 60x60 / ≥ U4 60x120	-	-	-	≥ T11 120x120 60x60	-	-	-	-	≥ T11 120x120 60x60 / ≥ U4 60x120	-	-	-	-	≥ T11 120x120 60x60 / ≥ U11 80x80 / ≥ U4 60x120
	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
Surface mechanical characteristics	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³ (2)	≤ 150 mm³ (2)	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
Thermal and hygrometric characteristics	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
	Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
	Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
Physical properties	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$
Chemical characteristics	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA
	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	-	HA	HA	HA	HA	HA	HA	HA
	5	5	5	5	5	5	5	5	5	5	≥ 3	5	5	5	5	5	5	5
Safety characteristics (1)(2)	R9	R10	R11	R11	R9	R10	R11	R11	R9	R10	N.C.	R11	R11	R9	R10	R10	R11	R11
	A	B	C	C	A	B	C	C	A	B	0	C	C	A	B	B	C	C
	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
	(●●)	Class P3	Class P4	Class P4	(●●)	Class P3	Class P4	Class P4	(●●)	Class P3	-	Class P4	Class P4	(●●)	Class P3	Class P3	Class P4	Class P4
	(●●●)	Class C2	Class C3	Class C3	(●●●)	Class C2	Class C3	Class C3	(●●●)	Class C2	-	Class C3	Class C3	(●●●)	Class C2	Class C2	Class C3	Class C3
	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55

Technical feature - Caratteristiche tecniche - Caractèristiques techniques - Technische Daten - Características técnicas - Технические характеристики

(●), PTV ≥ 36 Wet on demand - su richiesta **(●●), P3 on demand** - su richiesta **(●●●), C2 on demand** - su richiesta

(1) Boost Natural Cobalt "Glazed Porcelain Tiles"
(2) PEI 3 (ISO 10545-7) Boost Natural Cobalt

INDEX
OVERVIEW
IMAGE GALLERY
PRODUCT FINDER
RANGE SUMMARY
TECHNICAL SPECIFICATIONS
PORCELAIN TILES TECHNICAL FEATURES
WALL TILES TECHNICAL FEATURES
ATLAS PLAN TECHNICAL FEATURES

Porcelain tiles technical features

				Requirements for nominal size N Requisiti per dimensione nominale N			BOOST STONE					
				7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte ± 6 mm	Matte Sensitech ± 6 mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm	
				(mm)	(%)	(mm)						
Regularity characteristics		**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
		Thickness Spessore		± 0,5 (**)	± 5 (**)	± 0,5 (**)	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
		Straightness of sides Rettilinetà degli spigoli		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
		Surface flatness Planarità		c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
				e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.						
				w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.						
Structural characteristics		**Water absorption (in % by mass)** Massa d'acqua assorbita (come % della massa)	ISO 10545-3	**E_v ≤ 0,5% Individual max 0,6%** E_v ≤ 0,5% Valore max singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	
			ASTM C373-18	**Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%**			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	
Bulk mechanical characteristics		**Breaking strength** Sforzo di rottura	ISO 10545-4	**S ≥ 700N (for thickness < 7,5 mm** - per spessore < 7,5 mm) **S ≥ 1300N (for thickness ≥ 7,5 mm** - per spessore ≥ 7,5 mm)			S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²			R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	
		Bending strenght and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	-	≥ T11 120x120 60x60	≥ U4 60x120
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	**Declared value** Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	
Surface mechanical characteristics		**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³			≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	
Thermal and hygrometric characteristics		**Coefficient of thermal linear expansion** Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato			≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	
		Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	**Declared value** Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	
		Frost resistance Resistenza al gelo	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	
Physical properties		**Bond strength/adhesion for improved cementitious adhesives** Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	**Declared value** Valore dichiarato			≥ 1.0 N/mm² (Class C2 - EN 12004)	≥ 1.0 N/mm² (Class C2 - EN 12004)	≥ 1.0 N/mm² (Class C2 - EN 12004)	≥ 1.0 N/mm² (Class C2 - EN 12004)	≥ 1.0 N/mm² (Class C2 - EN 12004)	
		Reaction to fire Reazione al fuoco	-	**Class A1 or $A1_{fl}$** Classe A1 oppure $A1_{fl}$			A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	
Chemical characteristics		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B			A	A	A	A	A	
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			LA	LA	LA	LA	LA	
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			HA	HA	HA	HA	HA	
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	**Declared Class** Classe dichiarata			5	5	5	5	5	
Safety characteristics (1)(2)		**Shod Ramp Test** Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	**Declared value** Valore dichiarato			R9	R10	R10	R11	R11	
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	**Declared value** Valore dichiarato			A	B	B	C	C	
		Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	**PTV ≥ 36 classifies the surface as "low slip risk"**			(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	
			AS 4586	**Declared Classification of the new pedestrian surface materials according to the Pendulum Test**			(●●)	Class P3	Class P3	Class P4	Class P4	
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	**Declared value** Valore dichiarato			(●●●)	Class C2	Class C2	Class C3	Class C3	
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326,3	-			wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	

BOOST VISION				
Matte ± 6 mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm	
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	
≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	
S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	
R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	
-	-	-	≥ T11 120x120 80x80	≥ U4 60x120
≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	
≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	
≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	
≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	
≥ 1.0 N/mm² (Class C2 - EN 12004)	≥ 1.0 N/mm² (Class C2 - EN 12004)	≥ 1.0 N/mm² (Class C2 - EN 12004)	≥ 1.0 N/mm² (Class C2 - EN 12004)	
A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	
A	A	A	A	
LA	LA	LA	LA	
HA	HA	HA	HA	
5	5	5	5	
R9	R10	R11	R11	
A	B	C	C	
(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	
(●●)	Class P3	Class P4	Class P4	
(●●●)	Class C2	Class C3	Class C3	
> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	
dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	



Technical feature - Caratteristiche tecniche - Caractèristiques techniques - Technische Daten - Características técnicas - Технические характеристики

(●). PTV ≥ 36 Wet on demand - su richiesta **(●●). P3 on demand** - su richiesta **(●●●). C2 on demand** - su richiesta

INDEX
OVERVIEW
IMAGE GALLERY
PRODUCT FINDER
RANGE SUMMARY
TECHNICAL SPECIFICATIONS
PORCELAIN TILES TECHNICAL FEATURES
WALL TILES TECHNICAL FEATURES
ATLAS PLAN TECHNICAL FEATURES

Wall tiles technical features

		Requirements for nominal size N Requisiti per dimensione nominale N				BOOST ICOR	BOOST NATURAL	BOOST NATURAL PRO	BOOST PRO	BOOST EXPRESSION	BOOST VISION
			7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte	Matte	Matte	Matte	Matte	Matte
			(mm)	(%)	(mm)						
Dimensions Dimensioni Dimensions Maße Tamaño Размер	**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,4 (*) Rect.	± 0,3 (*) Rect.	± 1,0 (*) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
	Thickness Spessore		± 0,5 (**)	± 10 (**)	± 0,5 (**)	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
	Straightness of sides Rettilineità degli spigoli		± 0,4 (***) Rect.	± 0,3 (***) Rect.	± 0,8 (***) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
	Rectangularity Ortogonalità		± 0,4 (****) Rect.	± 0,3 (****) Rect.	± 1,5 (****) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
	Surface flatness Planarità		c.c. ± 0,6 Rect.	c.c. ± 0,4 Rect.	c.c. ± 1,8 Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme / **Suitable for** Conforme	**Suitable for** Conforme / **Suitable for** Conforme
			e.c. ± 0,6 Rect.	e.c. ± 0,4 Rect.	e.c. ± 1,8 Rect.						
			w. ± 0,6 Rect.	w. ± 0,4 Rect.	w. ± 1,8 Rect.	**3D WALL** **Not applicable** Non applicabile	**3D WALL** **Not applicable** Non applicabile	**3D WALL** **Not applicable** Non applicabile	**3D WALL** **Not applicable** Non applicabile	**3D WALL** **Not applicable** Non applicabile	**3D WALL** **Not applicable** Non applicabile
Physical properties Proprietà fisiche Proprietes physiques Physikalische Eigenschaften Propiedades físicas Физические характеристики	**Water absorption (in% by mass)** Massa d'acqua assorbita (come % della massa)	ISO 10545-3	**Average >10%. When the average > 20%, this shall be indicated. Individual value > 9%** Media >10%. Se questo valore > 20%, deve essere indicato. Valore Singolo > 9%			10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %
	Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 600 N			S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N
	Modulus of rupture Resistenza alla flessione		R ≥ 15 N/mm²			R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²
	Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato			≤ 7 MK⁻¹	≤ 7MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
	Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
	Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	**Declared value** Valore dichiarato			≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)
	Crazing resistance Resistenza al cavillo	ISO 10545-11	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
	Bond strength/adhesion for improved cementitious adhesives Adesione a trazione con adesivi cementizi migliorati	EN 1348	**Declared value** Valore dichiarato			≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
	Reaction to fire Reazione al fuoco	-	**Class A1** Classe A1			A1	A1	A1	A1	A1	A1
Chemical properties Proprietà chimiche Proprietes chimiques Chemische eigen-schaften Propiedades químicas Химические характеристики	**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B			A	A	A	A	A	A
	Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			LA	LA	LA	LA	LA	LA
	Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			HA	HA	HA	HA	HA	HA
	Resistance to staining Resistenza alle macchie	ISO 10545-14	**Minimum Class 3** Classe 3 minima			5	5	5	5	5	5
	Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²) Rilascio di sostanze pericolose: Cadmio (in mg/dm²) e Piombo (in mg/dm²)	ISO 10545-15	**Declared value** Valore dichiarato			≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb

(*) **The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).**
Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).

(**) **The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).**
Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).

(***) **The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.i.

(****) **The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.

Technical feature - Caratteristiche tecniche - Caractèristiques techniques - Technische Daten - Características técnicas - Технические характеристики

c.c. **The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

e.c. **The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

w. **The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

Note

For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist. - Per le informazioni e i dati relativi a codici, imballaggi e pesi occorre sempre consultare l'ultimo listino aggiornato e in vigore. - Pour toutes informations et renseignements concernant les codes, les emballages et les poids, il y a toujours lieu de consulter le dernier tarif en vigueur et mis à jour. - Für Informationen und Daten die den Code, die Verpackung und das Gewicht betreffen bitte die aktuellste Preisliste zugrunde legen. - Para acceder a la información y a los datos relativos a códigos, embalajes y pesos hay que consultar siempre la última lista de precios actualizada y vigente. - Для информации о кодах, упаковках и весе обращайтесь к последнему действующему прайс-листу.ù

Colors and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. - I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi. - Les coloris et les caractéristiques esthétiques des références illustrées dans le catalogue sont donnés à titre purement indicatif. -Die Farben und die ästhetischen Eigenschaften der in diesem Katalog abgebildeten Produkte sind als reine Richtwerte zu betrachten. - Los colores y las características estéticas de los materiales ilustrados en el presente catálogo deben ser considerados como puramente indicativos. - Цвета и эстетические характеристики описанных в настоящем каталоге материалов являются только ориентировочными.

Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications. - Atlas Concorde si riserva di modificare i prodotti senza preavviso, declinando ogni responsabilità su eventuali danni diretti o indiretti derivanti da eventuali modifiche. - Atlas Concorde se réserve le droit de modifier ses produits sans préavis et décline toute responsabilité concernant les éventuels dommages directs ou indirects qui pourraient dériver de ces modifications. - Atlas Concorde behält sich das Recht vor jederzeit und ohne vorherige Ankündigung, die Produkte zu verändern, und lehnt jede Haftung bei direkten oder indirekten Schäden ab, die von diesen Veränderungen herrühren. - Atlas Concorde se reserva el derecho de modificar los productos sin previo aviso, rechaza cualquier responsabilidad sobre eventuales daños directos o indirectos derivados de eventuales modificaciones. - Atlas Concorde оставляет за собой право изменять характеристики изделий без предварительного уведомления, отклоняя при этом любую ответственность за прямые или косвенные убытки, возникшие в результате изменений.

INDEX
OVERVIEW
IMAGE GALLERY
PRODUCT FINDER
RANGE SUMMARY
TECHNICAL SPECIFICATIONS
PORCELAIN TILES TECHNICAL FEATURES
WALL TILES TECHNICAL FEATURES
ATLAS PLAN TECHNICAL FEATURES

atlasPLAN
Technical Specification

162x324 cm - 63$^{3}/_{4}$"x127$^{1}/_{2}$"
SINGLE SLAB NOT RECTIFIED

159x324 cm - 62$^{3}/_{4}$"x127$^{1}/_{2}$"
SINGLE SLAB NOT RECTIFIED

160x320 cm - 63"x126"
RECTIFIED MONOCALIBER

Complies with	EN 14411 (ISO 13006)	Appendix	G	Group	Bla
Conforme alla norma	EN 14411 (ISO 13006)	Appendice	G	Gruppo	Bla
Conforme à la norme	EN 14411 (ISO 13006)	Appendice	G	Groupe	Bla
Entsprechend	EN 14411 (ISO 13006)	Anhang	G	Gruppe	Bla
Conforme a la norma	EN 14411 (ISO 13006)	Apéndice	G	Grupo	Bla
Соответствует норме	EN 14411 (ISO 13006)	Приложение	G	Группа	Bla

(*) **The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).**
Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).

(**) **The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).**
Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).

(***) **The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.i.

(****) **The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.

c.c. **The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

e.c. **The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

w. **The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

(1) **Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance).**
Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.

(2). **Anti-slip performance is guaranteed at the time of delivery of the product.**
Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.

(3). **However, tiles with a DCOF of 0.42 or greater are not necessarily suitable for all projects .The specifier shall determine tiles appropriate for specific project conditions, considering by way of example, but not in limitation, type of use, traffic, expected contaminants, expected maintenance, expected wear, and manufacturers' guidelines and recommendations."**

(4). **For further details, please refer to outdoor design general catalogue.** Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.

(5). **Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.**

Technical features

			Requirements for nominal size N Requisiti per dimensione nominale N		162x324 cm - 63$^{3}/_{4}$"x127$^{1}/_{2}$" 159x324 cm - 62$^{3}/_{4}$"x127$^{1}/_{2}$" Not Rectified			160x320 cm - 63"x127" Rectified		
			N ≥ 15 cm							
			(%)	(mm)	Silk	Matte Hammered Leathered	Polished Satin	Silk	Matte Hammered	Polished
Regularity characteristics	**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,3 (*)	± 1 (*)	N.A.			**Suitable for** Conforme		
	Thickness Spessore		± 5 (**)	± 0,5 (**)	**Suitable for** Conforme			**Suitable for** Conforme		
	Straightness of sides Rettilineità degli spigoli		± 0,3 (***)	± 0,8 (***)	N.A.			**Suitable for** Conforme		
	Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,3 (****)	± 1,5 (****)	N.A.			**Suitable for** Conforme		
	Surface flatness Planarità		c.c. ± 0,4 e.c. ± 0,4 w. ± 0,4	c.c. ± 1,8 e.c. ± 1,8 w. ± 1,8	**Suitable for** Conforme			**Suitable for** Conforme		
Structural characteristics	**Water absorption** Massa d'acqua assorbita	ISO 10545-3	**E_v ≤ 0,5% Individual max 0,6%** E_v ≤ 0,5% Valore max singolo 0,6%		≤ 0,1 %			≤ 0,1 %		
		ASTM C373-18	**Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%**		≤ 0,5 %			≤ 0,5 %		
Bulk mechanical characteristics	**Breaking strength** Sforzo di rottura	ISO 10545-4	S ≥ 700 N **for thickness < 7,5mm** per spessore < 7,5mm	S ≥ 1300 N **for thickness ≥ 7,5mm** per spessore ≥ 7,5mm	12 mm -> S ≥ 3500N 20 mm -> S ≥ 10000N			S ≥ 1000N		
	Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm^2		R ≥ 40 N/mm^2			R ≥ 40 N/mm^2		
	Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	**Declared value** Valore dichiarato		≥ 0,55			≥ 0,55		
Surface mechanical characteristics	**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm^3		**Suitable for** Conforme			**Suitable for** Conforme		
Thermal and hygrometric characteristics	**Coefficient of thermal linear expansion** Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato		≤ 7 MK^{-1}			≤ 7 MK^{-1}		
	Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1		**Resistant** Resiste			**Resistant** Resiste		
	Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	**Declared value** Valore dichiarato		≤ 0,01% (0,1mm/m)			≤ 0,01% (0,1mm/m)		
	Frost resistance Resistenza al gelo	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1		**Resistant** Resiste			**Resistant** Resiste		
Physical properties	**Bond strength/adhesion for improved cementitious adhesives** Adesione a trazione con adesivi cementizi migliorati	EN 1348	**Declared value** Valore dichiarato		≥ 1,0 N/mm^2 (Class C2 - EN 12004)			≥ 1,0 N/mm^2 (Class C2 - EN 12004)		
	Reaction to fire Reazione al fuoco	-	A1 or Afl		A1 without fiberglass - A2 with fiberglass			A1 - A1fl		
Chemical characteristics	**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B (B for unglazed tiles)** Classe minima B (B per piastrelle non smaltate)		A			A		
	Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata		LA			LA		
	Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata		HA	HA	-	HA	HA	-
	Resistance to staining Resistenza alle macchie	ISO 10545-14	**Declared Class** Classe dichiarata		5			5		
	Release of dangerous substances: Cadmium (in mg/dm^2) and Lead (in mg/dm^2) Rilascio di sostanze pericolose: Cadmio (in mg/dm^2) e Piombo (in mg/dm^2)	ISO 10545-15	**Declared value** Valore dichiarato		≤ 0,01 mg/dm^2 Cd ≤ 0,1 mg/dm^2 Pb			≤ 0,01 mg/dm^2 Cd ≤ 0,1 mg/dm^2 Pb		
Safety characteristics (1)(2)	**Shod Ramp Test** Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	**Declared Class** Classe dichiarata		-	-	-	-	R9	-
	Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	**Declared Class** Classe dichiarata		-	-	-	-	A	-
	Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata		-	-	-	-	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato
	Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326.3	-		-	-	-	-	wet DCOF > 0,42	dry DCOF > 0,42
	Resistance to scratching Resistenza alla graffiatura	UNI EN 15186:2012 met.B	-		**CEN/TS 16209 Class A** CEN/TS 16209 Classe A			**CEN/TS 16209 Class A** CEN/TS 16209 Classe A		
	Tendency to retain dirt Tendenza a ritenere lo sporco	UNI 9300:2015	-		**No visible change (5)** Nessun cambiamento visibile (5)			**No visible change (5)** Nessun cambiamento visibile (5)		
	Surface resistance to cold liquids Resistenza delle superfici ai liquidi freddi	UNI EN 12720:2013	-		**CEN/TS 16209 Class A** CEN/TS 16209 Classe A			**CEN/TS 16209 Class A** CEN/TS 16209 Classe A		
	Surface resistance to wet heat Resistenza delle superfici al calore umido	UNI EN 12721:2013	-		**CEN/TS 16209 Class A** CEN/TS 16209 Classe A			**CEN/TS 16209 Class A** CEN/TS 16209 Classe A		
	Surface resistance to dry heat Resistenza delle superfici al calore secco	UNI EN 12722:2013	-		**CEN/TS 16209 Class A** CEN/TS 16209 Classe A			**CEN/TS 16209 Class A** CEN/TS 16209 Classe A		
	Assessment of resistance to impact Resistenza all'urto	ISO 4211-4:1988	-		**Maximum drop height according to thickness.** Altezza massima di caduta variabile in funzione dello spessore.			**Maximum drop height according to thickness.** Altezza massima di caduta variabile in funzione dello spessore.		

INDEX
OVERVIEW
IMAGE GALLERY
PRODUCT FINDER
RANGE SUMMARY
TECHNICAL SPECIFICATIONS
PORCELAIN TILES
TECHNICAL FEATURES
WALL TILES
TECHNICAL FEATURES
ATLAS PLAN
TECHNICAL FEATURES

atlas concorde

atlasconcorde.com

December 2025